

---

# **vegas Documentation**

***Release 1.3***

**G.P. Lepage**

January 03, 2014



# CONTENTS

<b>1</b>	<b>Tutorial</b>	<b>3</b>
1.1	Introduction . . . . .	3
1.2	Basic Integrals . . . . .	4
1.3	Faster Integrands . . . . .	9
1.4	Multiple Integrands Simultaneously . . . . .	11
1.5	vegas as a Random Number Generator . . . . .	14
1.6	Implementation Notes . . . . .	15
<b>2</b>	<b>How vegas Works</b>	<b>17</b>
2.1	Importance Sampling . . . . .	17
2.2	The vegas Grid . . . . .	18
2.3	Adaptive Stratified Sampling . . . . .	20
<b>3</b>	<b>vegas Module</b>	<b>23</b>
3.1	Introduction . . . . .	23
3.2	Integrator Objects . . . . .	23
3.3	AdaptiveMap Objects . . . . .	27
3.4	Other Objects . . . . .	32
<b>4</b>	<b>Indices and tables</b>	<b>35</b>
	<b>Python Module Index</b>	<b>37</b>
	<b>Index</b>	<b>39</b>



Contents:



# TUTORIAL

## 1.1 Introduction

Class `vegas.Integrator` gives Monte Carlo estimates of arbitrary multidimensional integrals using the *vegas* algorithm (G. P. Lepage, *J. Comput. Phys.* 27 (1978) 192). The algorithm has two components. First an automatic transformation is applied to the integration variables in an attempt to flatten the integrand. Then a Monte Carlo estimate of the integral is made using the transformed variables. Flattening the integrand makes the integral easier and improves the estimate. The transformation applied to the integration variables is optimized over several iterations of the algorithm: information about the integrand that is collected during one iteration is used to improve the transformation used in the next iteration.

Monte Carlo integration makes few assumptions about the integrand — it needn't be analytic nor even continuous. This makes Monte Carlo integration unusually robust. It also makes it well suited for adaptive integration. Adaptive strategies are essential for multidimensional integration, especially in high dimensions, because multidimensional space is large, with lots of corners, making it easy to lose important features in the integrand.

Monte Carlo integration also provides efficient and reliable methods for estimating the accuracy of its results. In particular, each Monte Carlo estimate of an integral is a random number from a distribution whose mean is the correct value of the integral. This distribution is Gaussian or normal provided the number of integrand samples is sufficiently large. In practice one generates multiple estimates of the integral in order to verify that the distribution is indeed Gaussian. Error analysis is straightforward if the integral estimates are Gaussian.

The *vegas* algorithm has been in use for decades and implementations are available in many programming languages, including Fortran (the original version), C and C++. The algorithm used here is significantly improved over the original implementation, and that used in most other implementations. It uses two adaptive strategies: importance sampling, as in the original implementation, and adaptive stratified sampling, which is new.

This module is written in Cython, so it is almost as fast as optimized Fortran or C, particularly when the integrand is also coded in Cython (or some other compiled language), as discussed below.

*About Printing:* The examples in this tutorial use the `print` function as it is used in Python 3. Drop the outermost parenthesis in each print statement if using Python 2, or add

```
from __future__ import print_function
```

at the start of your file.

## 1.2 Basic Integrals

Here we illustrate the use of `vegas` by estimating the integral

$$C \int_{-1}^1 dx_0 \int_0^1 dx_1 \int_0^1 dx_2 \int_0^1 dx_3 e^{-100 \sum_d (x_d - 0.5)^2},$$

where constant  $C$  is chosen so that the exact integral is 1. The following code shows how this can be done:

```
import vegas
import math

def f(x):
    dx2 = 0
    for d in range(4):
        dx2 += (x[d] - 0.5) ** 2
    return math.exp(-dx2 * 100.) * 1013.2118364296088

integ = vegas.Integrator([[ -1., 1.], [0., 1.], [0., 1.], [0., 1.]])

result = integ(f, nitn=10, neval=1000)
print(result.summary())
print('result = %s    Q = %.2f' % (result, result.Q))
```

First we define the integrand  $f(x)$  where  $x[d]$  specifies a point in the 4-dimensional space. We then create an integrator, `integ`, which is an integration operator that can be applied to any 4-dimensional function. It is where we specify the integration volume. Finally we apply `integ` to our integrand  $f(x)$ , telling the integrator to estimate the integral using `nitn=10` iterations of the `vegas` algorithm, each of which uses no more than `neval=1000` evaluations of the integrand. Each iteration produces an independent estimate of the integral. The final estimate is the weighted average of the results from all 10 iterations, and is returned by `integ(f ...)`. The call `result.summary()` returns a summary of results from each iteration.

This code produces the following output:

itn	integral	wgt average	chi2/dof	Q
1	2.4 (1.9)	2.4 (1.9)	0.00	1.00
2	1.19 (32)	1.23 (32)	0.42	0.52
3	0.910 (90)	0.934 (87)	0.68	0.51
4	1.041 (70)	0.999 (55)	0.76	0.52
5	1.090 (43)	1.055 (34)	1.00	0.41
6	0.984 (34)	1.020 (24)	1.24	0.29
7	1.036 (27)	1.027 (18)	1.07	0.38
8	0.987 (22)	1.011 (14)	1.20	0.30
9	0.995 (18)	1.005 (11)	1.11	0.35
10	0.993 (17)	1.0015 (91)	1.02	0.42

```
result = 1.0015(91)    Q = 0.42
```

There are several things to note here:

**Adaptation:** Integration estimates are shown for each of the 10 iterations, giving both the estimate from just that iteration, and the weighted average of results from all iterations up to that point. The estimates from the first two iterations are not accurate at all, with errors equal to 30–190% of the final result. `vegas` initially has no information about the integrand and so does a relatively poor job of estimating the integral. It uses information from the samples in one iteration, however, to remap the integration variables for subsequent iterations, concentrating samples where the function is largest and reducing errors. As a result, the per-iteration error is reduced to 3.4% by the fifth iteration, and below 2% by the end — an

improvement by almost two orders of magnitude from the start. Eventually the per-iteration error stops decreasing because `vegas` has found the optimal remapping, at which point it has fully adapted to the integrand.

**Weighted Average:** The final result,  $1.0015 \pm 0.0091$ , is obtained from a weighted average of the separate results from each iteration. The individual estimates are statistical: each is a random number drawn from a distribution whose mean equals the correct value of the integral, and the errors quoted are estimates of the standard deviations of those distributions. The distributions are Gaussian provided the number of integrand evaluations per iteration (`neval`) is sufficiently large, in which case the standard deviation is a reliable estimate of the error. The weighted average  $\bar{I}$  minimizes

$$\chi^2 \equiv \sum_i \frac{(I_i - \bar{I})^2}{\sigma_i^2}$$

where  $I_i \pm \sigma_i$  are the estimates from individual iterations. If the  $I_i$  are Gaussian,  $\chi^2$  should be of order the number of degrees of freedom (plus or minus the square root of that number); here the number of degrees of freedom is the number of iterations minus 1.

The distributions are likely non-Gaussian, and error estimates unreliable, if  $\chi^2$  is much larger than the number of iterations. This criterion is quantified by the  $Q$  or  $p$ -value of the  $\chi^2$ , which is the probability that a larger  $\chi^2$  could result from random (Gaussian) fluctuations. A very small  $Q$  (less than 0.05-0.1) indicates that the  $\chi^2$  is too large to be accounted for by statistical fluctuations — that is, the estimates of the integral from different iterations do not agree with each other to within errors. This means that `neval` is not sufficiently large to guarantee Gaussian behavior, and must be increased if the error estimates are to be trusted.

`integ(f...)` returns a weighted-average object, of type `vegas.RunningWAvg`, that has the following attributes:

- `result.mean` — weighted average of all estimates of the integral;
- `result.sdev` — standard deviation of the weighted average;
- `result.chi2` —  $\chi^2$  of the weighted average;
- `result.dof` — number of degrees of freedom;
- `result.Q` —  $Q$  or  $p$ -value of the weighted average's  $\chi^2$ ;
- `result.itn_results` — list of the integral estimates from each iteration.

In this example the final  $Q$  is 0.42, indicating that the  $\chi^2$  for this average is not particularly unlikely and thus the error estimate is most likely reliable.

**Precision:** The precision of `vegas` estimates is determined by `nitn`, the number of iterations of the `vegas` algorithm, and by `neval`, the maximum number of integrand evaluation made per iteration. The computing cost is typically proportional to the product of `nitn` and `neval`. The number of integrand evaluations per iteration varies from iteration to iteration, here between 486 and 959. Typically `vegas` needs more integration points in early iterations, before it has fully adapted to the integrand.

We can increase precision by increasing either `nitn` or `neval`, but it is generally far better to increase `neval`. For example, adding the following lines to the code above

```
result = integ(f, nitn=100, neval=1000)
print('larger nitn => %s    Q = %.2f' % (result, result.Q))

result = integ(f, nitn=10, neval=1e4)
print('larger neval => %s    Q = %.2f' % (result, result.Q))
```

generates the following results:

```
larger nitn => 0.9968(15)    Q = 0.43
larger neval => 0.99978(67)  Q = 0.42
```

The total number of integrand evaluations, `nitn * neval`, is about the same in both cases, but increasing `neval` is more than twice as accurate as increasing `nitn`. Typically one wants to use no more than 10 or 20 iterations beyond the point where `vegas` has fully adapted. You want some number of iterations so that you can verify Gaussian behavior by checking the  $\chi^2$  and  $Q$ , but not too many.

It is also generally useful to compare two or more results from values of `neval` that differ by a significant factor (4–10, say). These should agree within errors. If they do not, it could be due to non-Gaussian artifacts caused by a small `neval`. `vegas` estimates have two sources of error. One is the statistical error, which is what is quoted by `vegas`. The other is a systematic error due to residual non-Gaussian effects. The systematic error vanishes like  $1/\text{neval}$  and so becomes negligible compared with the statistical error as `neval` increases. The systematic error can bias the Monte Carlo estimate, however, if `neval` is insufficiently large. This usually results in a large  $\chi^2$  (and small  $Q$ ), but a more reliable check is to compare results that use significantly different values of `neval`. The systematic errors due to non-Gaussian behavior are likely negligible if the different estimates agree to within the statistical errors.

The possibility of systematic biases is another reason for increasing `neval` rather than `nitn` to obtain more precision. Making `neval` larger and larger is guaranteed to improve the Monte Carlo estimate, as the statistical error decreases (at least as fast as  $\text{sqrt}(1/\text{neval})$  and often faster) and the systematic error decreases even more quickly (like  $1/\text{neval}$ ). Making `nitn` larger and larger, on the other hand, is guaranteed eventually to give the wrong answer. This is because at some point the statistical error (which falls as  $\text{sqrt}(1/\text{nitn})$ ) will no longer mask the systematic error (which is unaffected by `nitn`). The systematic error for the integral above (with `neval=1000`) is about  $-0.00073(7)$ , which is negligible compared to the statistical error unless `nitn` is of order 1500 or larger — so systematic errors aren't a problem with `nitn=10`.

**Early Iterations:** Integral estimates from early iterations, before `vegas` has adapted, can be quite crude. With very peaky integrands, these are often far from the correct answer with highly unreliable error estimates. For example, the integral above becomes more difficult if we double the length of each side of the integration volume by redefining `integ` as:

```
integ = vegas.Integrator(
    [[-2., 2.], [0, 2.], [0, 2.], [0., 2.]],
)
```

The code above then gives:

itn	integral	wgt average	chi2/dof	Q
1	0.013(13)	0.013(13)	0.00	1.00
2	0.018(11)	0.0159(82)	0.13	0.72
3	1.74(80)	0.0161(82)	2.36	0.09
4	0.83(20)	0.0174(82)	6.97	0.00
5	0.934(87)	0.0255(82)	32.60	0.00
6	0.905(53)	0.0463(81)	80.46	0.00
7	1.010(42)	0.0805(80)	150.57	0.00
8	0.964(30)	0.1385(77)	244.64	0.00
9	1.023(29)	0.1985(74)	326.07	0.00
10	0.987(22)	0.2777(70)	415.67	0.00

```
result = 0.2777(70)    Q = 0.00
```

`vegas` misses the peak completely in the first two iterations, giving estimates that are completely wrong (by 76 and 89 standard deviations!). Some of its samples hit the peak's shoulders, so `vegas` is eventually able to find the peak (by iterations 5–6), but the integrand estimates are wildly non-Gaussian before that point. This results in a non-sensical final result, as indicated by the  $Q = 0.00$ .

It is common practice in using *vegas* to discard estimates from the first several iterations, before the algorithm has adapted, in order to avoid ruining the final result in this way. This is done by replacing the single call to `integ(f...)` in the original code with two calls:

```
# step 1 -- adapt to f; discard results
integ(f, nitn=7, neval=1000)

# step 2 -- integ has adapted to f; keep results
result = integ(f, nitn=10, neval=1000)
print(result.summary())
print('result = %s    Q = %.2f' % (result, result.Q))
```

The integrator is trained in the first step, as it adapts to the integrand, and so is more or less fully adapted from the start in the second step, which yields:

itn	integral	wgt average	chi2/dof	Q
1	1.015 (27)	1.015 (27)	0.00	1.00
2	1.024 (24)	1.020 (18)	0.06	0.80
3	0.991 (15)	1.003 (12)	0.81	0.44
4	0.989 (17)	0.9989 (97)	0.70	0.55
5	1.002 (16)	0.9998 (83)	0.53	0.71
6	1.019 (18)	1.0030 (76)	0.60	0.70
7	1.016 (16)	1.0053 (69)	0.59	0.74
8	0.988 (16)	1.0028 (63)	0.63	0.73
9	0.978 (15)	0.9990 (58)	0.84	0.57
10	1.004 (14)	0.9997 (54)	0.75	0.66

result = 0.9997 (54) Q = 0.66

The final result is now reliable.

**Other Integrands:** Once `integ` has been trained on  $f(x)$ , it can be usefully applied to other functions with similar structure. For example, adding the following at the end of the original code,

```
def g(x):
    return x[0] * f(x)

result = integ(g, nitn=10, neval=1000)
print(result.summary())
print('result = %s    Q = %.2f' % (result, result.Q))
```

gives the following new output:

itn	integral	wgt average	chi2/dof	Q
1	0.5089 (72)	0.5089 (72)	0.00	1.00
2	0.5001 (70)	0.5044 (50)	0.76	0.38
3	0.4955 (66)	0.5011 (40)	0.95	0.39
4	0.4960 (68)	0.4998 (35)	0.77	0.51
5	0.5128 (79)	0.5019 (32)	1.14	0.34
6	0.5038 (69)	0.5022 (29)	0.92	0.46
7	0.5025 (71)	0.5023 (27)	0.77	0.59
8	0.4885 (72)	0.5006 (25)	1.12	0.35
9	0.4933 (65)	0.4997 (23)	1.11	0.35
10	0.500 (15)	0.4997 (23)	0.99	0.44

result = 0.4997 (23) Q = 0.44

Again the grid is almost optimal for  $g(x)$  from the start, because  $g(x)$  peaks in the same region as

$f(x)$ . The exact value for this integral is very close to 0.5.

Note that `vegas.Integrators` can be saved in files and reloaded later using Python's `pickle` module: for example, `pickle.dump(integ, openfile)` saves integrator `integ` in file `openfile`, and `integ = pickle.load(openfile)` reloads it. This is useful for costly integrations that might need to be reanalyzed later since the integrator remembers the variable transformations made to minimize errors, and so need not be readapted to the integrand when used later.

**Non-Rectangular Volumes:** `vegas` can integrate over volumes of non-rectangular shape. For example, we can replace integrand  $f(x)$  above by the same Gaussian, but restricted to a 4-sphere of radius 0.2, centered on the Gaussian:

```
import vegas
import math

def f_sph(x):
    dx2 = 0
    for d in range(4):
        dx2 += (x[d] - 0.5) ** 2
    if dx2 < 0.2 ** 2:
        return math.exp(-dx2 * 100.) * 1115.3539360527281318
    else:
        return 0.0

integ = vegas.Integrator([[ -1., 1.], [ 0., 1.], [ 0., 1.], [ 0., 1.]])

integ(f_sph, nitn=10, neval=1000)          # adapt the grid
result = integ(f_sph, nitn=10, neval=1000) # estimate the integral
print(result.summary())
print('result = %s    Q = %.2f' % (result, result.Q))
```

The normalization is adjusted to again make the exact integral equal 1. Integrating as before gives:

itn	integral	wgt average	chi2/dof	Q
1	1.057(81)	1.057(81)	0.00	1.00
2	0.984(34)	0.995(31)	0.69	0.41
3	1.001(39)	0.997(24)	0.35	0.70
4	1.003(32)	0.999(19)	0.24	0.87
5	0.974(25)	0.990(15)	0.34	0.85
6	0.973(34)	0.987(14)	0.31	0.91
7	1.65(46)	0.987(14)	0.60	0.73
8	1.049(60)	0.991(14)	0.65	0.71
9	1.049(83)	0.992(13)	0.63	0.75
10	1.055(51)	0.996(13)	0.72	0.69

```
result = 0.996(13)    Q = 0.69
```

It is a good idea to make the actual integration volume as large a fraction as possible of the total volume used by `vegas` — by choosing integration variables properly — so `vegas` doesn't spend lots of effort on regions where the integrand is exactly 0. Also, it can be challenging for `vegas` to find the region of non-zero integrand in high dimensions: integrating  $f\_sph(x)$  in 20 dimensions instead of 4, for example, would require `neval=1e16` integrand evaluations per iteration to have any chance of finding the region of non-zero integrand, because the volume of the 20-dimensional sphere is a tiny fraction of the total integration volume.

Note, finally, that integration to infinity is also possible: map the relevant variable into a different variable of finite range. For example, an integral over  $x \equiv \tan(\theta)$  from 0 to infinity is easily reexpressed as an integral over  $\theta$  from 0 to  $\pi/2$ .

**Damping:** This result in the previous section can be improved somewhat by slowing down `vegas`'s adaptation:

```
...
integ(f_sph, nitn=10, neval=1000, alpha=0.1)
result = integ(f_sph, nitn=10, neval=1000, alpha=0.1)
...
```

Parameter `alpha` controls the speed with which `vegas` adapts, with smaller `alpha`s giving slower adaptation. Here we reduce `alpha` to 0.1, from its default value of 0.5, and get the following output:

itn	integral	wgt average	chi2/dof	Q
1	1.026(23)	1.026(23)	0.00	1.00
2	0.968(22)	0.995(16)	3.38	0.07
3	1.039(23)	1.009(13)	2.89	0.06
4	0.991(22)	1.004(11)	2.09	0.10
5	1.022(26)	1.007(10)	1.67	0.15
6	0.964(22)	0.9995(94)	1.96	0.08
7	0.992(19)	0.9980(84)	1.65	0.13
8	1.007(22)	0.9991(79)	1.44	0.19
9	1.002(22)	0.9995(74)	1.26	0.26
10	0.969(18)	0.9952(68)	1.38	0.19

```
result = 0.9952(68)    Q = 0.19
```

Notice how the errors fluctuate less from iteration to iteration with the smaller `alpha` in this case. Persistent, large fluctuations in the size of the per-iteration errors is often a signal that `alpha` should be reduced. With larger `alpha`s, `vegas` can over-react to random fluctuations it encounters as it samples the integrand.

In general, we want `alpha` to be large enough so that `vegas` adapts quickly to the integrand, but not so large that it has difficulty holding on to the optimal tuning once it has found it. The best value depends upon the integrand. Adaptation can be turned off completely by setting parameter `adapt=False`: e.g.,

```
...
integ(f_sph, nitn=10, neval=1000, alpha=0.1)
result = integ(f_sph, nitn=10, neval=1000, adapt=False)
...
```

## 1.3 Faster Integrands

The computational cost of a realistic multidimensional integral comes mostly from the cost of evaluating the integrand at the Monte Carlo sample points. Integrands written in pure Python are probably fast enough for problems where `neval=1e3` or `neval=1e4` gives enough precision. Some problems, however, require hundreds of thousands or millions of function evaluations, or more.

The cost of evaluating the integrand can be reduced significantly by vectorizing it, if that is possible. For example, replacing

```
import vegas
import math

dim = 4
norm = 1013.2118364296088

def f_scalar(x):
    dx2 = 0.0
```

```

    for d in range(dim):
        dx2 += (x[d] - 0.5) ** 2
    return math.exp(-100. * dx2) * norm

integ = vegas.Integrator(dim * [[0, 1]])

integ(f_scalar, nitn=10, neval=200000)
result = integ(f_scalar, nitn=10, neval=200000)
print('result = %s   Q = %.2f' % (result, result.Q))

by

import vegas
import numpy as np

dim = 4

class f_vector(vegas.VecIntegrand):
    def __init__(self, dim):
        self.dim = dim
        self.norm = 1013.2118364296088

    def __call__(self, x, f, nx):
        # convert integration points x[i, d] to numpy array
        x = np.asarray(x)[:nx, :]

        # convert array for answer into a numpy array
        f = np.asarray(f)[:nx]

        # evaluate integrand for all values of i simultaneously
        dx2 = 0.0
        for d in range(self.dim):
            dx2 += (x[:, d] - 0.5) ** 2

        # copy answer into f (ie, don't use f = np.exp(...))
        f[:] = np.exp(-100. * dx2) * self.norm

integ = vegas.Integrator(dim * [[0, 1]], nhcube_vec=1000)

f = f_vector(dim=dim)
integ(f, nitn=10, neval=200000)
result = integ(f, nitn=10, neval=200000)
print('result = %s   Q = %.2f' % (result, result.Q))

```

reduces the cost of the integral by about an order of magnitude. An instance of class `f_vector` behaves like a function of three variables:

- `x[i, d]` — integration points for each  $i=0 \dots nx-1$  ( $d=0 \dots$  labels the direction);
- `f[i]` — buffer to hold the integrand values for each integration point;
- `nx` — number of integration points.

We derive class `f_vector` from `vegas.VecIntegrand` to signal to `vegas` that it should present integration points in batches to the integrand function. Parameter `nhcube_vec` tells `vegas` how many hypercubes to put in a batch (or vector); the bigger this parameter is, the larger the batches.

Unfortunately many problems are difficult to vectorize. The fastest option in such cases (and actually every case) is to write the integrand in Cython, which is a compiled hybrid of Python and C. The Cython version of this code, which

we put in a separate file we call `cython_integrand.pyx`, is simpler than the vector version:

```
cimport vegas                                # for VecIntegrand
from libc.math cimport exp                  # use exp() from C library

import vegas

cdef class f_cython(vegas.VecIntegrand):
    cdef double norm
    cdef int dim

    def __init__(self, dim):
        self.dim = dim
        self.norm = 1013.2118364296088 ** (dim / 4.)

    def __call__(self, double[:, ::1] x, double[:, ::1] f, int nx):
        cdef int i, d
        cdef double dx2
        for i in range(nx):
            dx2 = 0.0
            for d in range(self.dim):
                dx2 += (x[i, d] - 0.5) ** 2
            f[i] = exp(-100. * dx2) * self.norm
        return
```

The main code is then

```
import pyximport; pyximport.install()

import vegas
from cython_integrand import f_cython

dim = 4

integ = vegas.Integrator(dim * [[0, 1]], nhcube_vec=1000)

f = f_cython(dim=dim)
integ(f, nitn=10, neval=200000)
result = integ(f, nitn=10, neval=200000)
print('result = %s   Q = %.2f' % (result, result.Q))
```

where the first line (`import pyximport; ...`) causes the Cython module `cython_integrand.pyx` to be compiled the first time it is called. The compiled code is stored and used in subsequent calls, so compilation occurs only once.

Cython code can also link easily to compiled C or Fortran code, so integrands written in these languages can be used as well (and would be faster than pure Python).

## 1.4 Multiple Integrands Simultaneously

`vegas` can be used to integrate multiple integrands simultaneously, using the same integration points for each of the integrands. This is useful in situations where the integrands have similar structure, with peaks in the same locations. There can be a very significant advantage in sampling the different integrands at precisely the same points in  $x$  space, because the Monte Carlo estimates for the different integrals are then correlated. If the integrands are very similar to each other the correlations can be very strong, leading to greatly reduced errors in ratios or differences of the resulting integrals. `vegas` captures these correlations by examining fluctuations in estimates of the different integrals over,

typically, 10–20 iterations of the `vegas` algorithm with adaptation turned off. (It is important to turn off adaptation so that estimates from different iterations come from the same probability distribution.)

Consider a simple example. We want to compute the normalization and first two moments of a sharply peaked probability distribution:

$$I_0 \equiv \int_0^1 d^4x e^{-200 \sum_d (x_d - 0.5)^2}$$

$$I_1 \equiv \int_0^1 d^4x x_0 e^{-200 \sum_d (x_d - 0.5)^2}$$

$$I_2 \equiv \int_0^1 d^4x x_0^2 e^{-200 \sum_d (x_d - 0.5)^2}$$

From these integrals we can determine the mean and width of the distribution projected onto one of the axes:

$$\langle x \rangle \equiv I_1 / I_0$$

$$\sigma_x^2 \equiv \langle x^2 \rangle - \langle x \rangle^2$$

$$= I_2 / I_0 - (I_1 / I_0)^2$$

This can be done using the following code:

```
import vegas
import math
import gvar as gv

def f(x):
    dx2 = 0.0
    for d in range(4):
        dx2 += (x[d] - 0.5) ** 2
    f = math.exp(-200 * dx2)
    return [f, f * x[0], f * x[0] ** 2]

def f_avg(x):
    return sum(f(x)) / 3.

integ = vegas.Integrator(4 * [[0, 1]])

# adapt grid to f_avg
training = integ(f_avg, nitn=10, neval=1000)
print('Adaptation:\n')
print(training.summary())

# evaluate multi-integrands
print('\nFinal Results:\n')
result = integ.multi(f, nitn=20)
print('I[0] =', result[0], ' I[1] =', result[1], ' I[2] =', result[2], '\n')
print('<x> =', result[1] / result[0])
print(
    'sigma_x**2 = <x**2> - <x>**2 =',
    result[2] / result[0] - (result[1] / result[0]) ** 2
)
print('\ncorrelation matrix:\n', gv.evalcorr(result))
```

Here we first train `vegas` on the the average of the three integrands; any one of the integrands could have used by itself, but the average costs about the same to compute. We then use `vegas` to generate `nitn=20` values for each

integral. `vegas` computes the averages of these 20 values, as well as the covariance matrix for the resulting estimates. Here `result` is an array containing two objects representing Gaussian random variables — type `gvar.GVar` from the `lsqfit` package which must be installed in order to use `Integrator.multi()`. These objects encode information about the mean value (`result[i].mean`) and standard deviation (`result[i].sdev`) for the estimates for each integral. They also encode information about correlations between different Gaussian variables.

The code produces the following output:

Adaptation:

itn	integral	wgt average	chi2/dof	Q
1	0.00018(17)	0.00018(17)	0.00	1.00
2	0.0001201(93)	0.0001203(93)	0.13	0.72
3	0.000164(20)	0.0001280(84)	2.02	0.13
4	0.0001470(89)	0.0001370(61)	2.15	0.09
5	0.0001384(57)	0.0001377(42)	1.62	0.17
6	0.0001440(47)	0.0001405(31)	1.50	0.19
7	0.0001473(35)	0.0001435(23)	1.59	0.14
8	0.0001411(29)	0.0001426(18)	1.43	0.19
9	0.0001418(24)	0.0001423(15)	1.26	0.26
10	0.0001451(25)	0.0001430(13)	1.23	0.27

Final Results:

`I[0] = 0.00024677(93)`    `I[1] = 0.00012335(45)`    `I[2] = 0.00006227(23)`

`<x> = 0.49985(28)`

`sigma_x**2 = <x**2> - <x>**2 = 0.002499(25)`

correlation matrix:

```
[[ 1.          0.98937741  0.95748423]
 [ 0.98937741  1.          0.98906569]
 [ 0.95748423  0.98906569  1.          ]]
```

The estimates for the individual integrals are separately accurate to about  $\pm 0.4\%$ , but the estimate for  $\langle x \rangle = I_1/I_0$  is accurate to  $\pm 0.06\%$ . This is almost an order of magnitude (9.5x) more accurate than we would obtain absent correlations. The correlation matrix shows that there is 99% correlation between the statistical fluctuations in estimates for  $I_0$  and  $I_1$ , and so the bulk of these fluctuations cancel in the ratio. The estimate for the variance  $\sigma_x^2$  is almost two orders of magnitude (92x) more accurate than we would have obtained had the integrals been evaluated separately. Both estimates are correct to within the quoted errors.

`vegas` estimates the covariance matrix from the variations in the integral estimates between `nitn` different iterations. Thus the error estimates (i.e., the standard deviations) have fractional statistical errors of order  $1/\sqrt{2 * nitn}$ , provided, of course, that `neval` is large enough so that the estimates are Gaussian. Using `nitn=10` or `20` means that the error estimates are accurate to 15–20%, which is more than accurate enough for most applications.

As always, `vegas` is faster if the integrand is vectorized. The above example could have been written

```
import vegas
import math
import numpy as np
import gvar as gv

class f(vegas.VecIntegrand):
    def __call__(self, x):
        x = np.asarray(x)
        fv = np.empty((x.shape[0], 3), float)
```

```
    dx2 = 0.0
    for d in range(4):
        dx2 += (x[:, d] - 0.5) ** 2
    fv[:, 0] = np.exp(-200. * dx2)
    fv[:, 1] = fv[:, 0] * x[:, 0]
    fv[:, 2] = fv[:, 0] * x[:, 0] ** 2
    return fv

class f_avg(vegas.VecIntegrand):
    def __init__(self):
        self.fcn = f()
    def __call__(self, x, fs, nx):
        x = np.asarray(x)[:nx, :]
        fs = np.asarray(fs)[:nx]
        fv = self.fcn(x)
        fs[:] = (fv[:, 0] + fv[:, 1] + fv[:, 2]) / 3.

integ = vegas.Integrator(4 * [[0, 1]])

# adapt grid to f_avg
training = integ(f_avg(), nitn=10, neval=1000)
print('Adaptation:\n')
print(training.summary())

# evaluate multi-integrands
print('\nFinal Results:\n')
result = integ.multi(f(), nitn=20)
print('I[0] =', result[0], ' I[1] =', result[1], ' I[2] =', result[2], '\n')
print('<x> =', result[1] / result[0])
print(
    'sigma_x**2 = <x**2> - <x>**2 =',
    result[2] / result[0] - (result[1] / result[0]) ** 2
)
print('\ncorrelation matrix:\n', gv.evalcorr(result))
```

with identical results but faster execution time. Even better would be a Cython version. Here the vector integrand returns integrand values in arrays  $f[i, s]$  where  $i$  labels different integration points while  $s=0, 1$  labels the different integrands. Multi-dimensional integrands, with  $f[i, s_1, s_2, \dots]$ , are also allowed.

## 1.5 vegas as a Random Number Generator

Having adapted to an integrand, `vegas` generates random points in the integration volume from a distribution that was optimized for the integrand. It is possible to access integration points generated by `vegas`, together with the weights they carry in an integral, using the iterators `vegas.Iterator.random()` and `vegas.Iterator.random_vec()`. For example,

```
integ = vegas.iterator(...)
...
integ(f_training)
...
for itn in range(10):
    # estimate integral of f()
    integral = 0.0
    for x, wgt in integ.random_vec():
        for i in range(x.shape[0]):
```

```
    integral += f(x[i, :]) * wgt[i]
results.append(integral)
```

generates 10 Monte Carlo estimates of the integral of function `f(...)` using an integrator trained on function `f_training(...)`. The integration points `x[i, d]` are generated from a distribution optimized for `f_training`, which should be similar to `f`. This low-level access is useful for implementing analyses like that in the previous section (`vegas.Integrator.multi()`).

## 1.6 Implementation Notes

This implementation relies upon Cython for its speed and numpy for vector processing. It also uses matplotlib for graphics, but graphics is optional.

`vegas` also uses the `gvar` module from the `lsqfit` package if that package is installed (`pip install lsqfit`). Integration results are returned as objects of type `gvar.GVar`, which is a class representing Gaussian random variables (i.e., something with a mean and standard deviation). These objects can be combined with numbers and with each other in arbitrary arithmetic expressions to get new `gvar.GVars` with the correct standard deviations (and properly correlated with other `gvar.GVars` — that is the tricky part).

If `lsqfit` is not installed, `vegas` uses a limited substitute that supports arithmetic between `gvar.GVars` and numbers, but not between `gvar.GVars` and other `gvar.GVars`. It also supports `log`, `sqrt` and `exp` of `gvar.GVars`, but not trig functions — for these install the `lsqfit` package. Also the multi-integrand method `vegas.Integrator.multi()` requires the `gvar.GVar` from `lsqfit`; the substitute doesn't work for that method.



# HOW VEGAS WORKS

`vegas` uses two adaptive strategies: importance sampling, and adaptive stratified sampling. Here we discuss the ideas behind each, in turn.

## 2.1 Importance Sampling

The most important adaptive strategy `vegas` uses is its remapping of the integration variables in each direction, before it makes Monte Carlo estimates of the integral. This is equivalent to a standard Monte Carlo optimization called “importance sampling.”

`vegas` chooses transformations for each integration variable that minimize the statistical errors in Monte Carlo estimates whose integrand samples are uniformly distributed in the new variables. The idea in one-dimension, for example, is to replace the original integral over  $x$ ,

$$I = \int_a^b dx f(x),$$

by an equivalent integral over a new variable  $y$ ,

$$I = \int_0^1 dy J(y) f(x(y)),$$

where  $J(y)$  is the Jacobian of the transformation. A simple Monte Carlo estimate of the transformed integral is given by

$$I \approx S^{(1)} \equiv \frac{1}{M} \sum_y J(y) f(x(y))$$

where the sum is over  $M$  random points uniformly distributed between 0 and 1.

The estimate  $S^{(1)}$  is itself a random number from a distribution whose mean is the exact integral and whose variance is:

$$\begin{aligned} \sigma_I^2 &= \frac{1}{M} \left( \int_0^1 dy J^2(y) f^2(x(y)) - I^2 \right) \\ &= \frac{1}{M} \left( \int_a^b dx J(y(x)) f^2(x) - I^2 \right) \end{aligned}$$

The standard deviation  $\sigma_I$  is an estimate of the possible error in the Monte Carlo estimate. A straightforward variational calculation, constrained by

$$\int_a^b \frac{dx}{J(y(x))} = \int_0^1 dy = 1,$$

shows that  $\sigma_I$  is minimized if

$$J(y(x)) = \frac{\int_a^b dx |f(x)|}{|f(x)|}.$$

Such transformations greatly reduce the standard deviation when the integrand has high peaks. Since

$$1/J = \frac{dy}{dx} \propto |f(x)|,$$

the regions in  $x$  space where  $|f(x)|$  is large are stretched out in  $y$  space. Consequently, a uniform Monte Carlo in  $y$  space places more samples in the peak regions than it would if were we integrating in  $x$  space — its samples are concentrated in the most important regions, which is why this is called “importance sampling.” The product  $J(y) f(x(y))$  has no peaks when the transformation is optimal.

The distribution of the Monte Carlo estimates  $S^{(1)}$  becomes Gaussian in the limit of large  $M$ . Non-Gaussian corrections vanish like  $1/M$ . For example, it is easy to show that

$$\langle (S^{(1)} - I)^4 \rangle = 3\sigma_I^4 \left(1 - \frac{1}{M}\right) + \frac{1}{M^3} \int_0^1 dy (J(y) f(x(y)) - I)^4$$

This moment would equal  $3\sigma_I^4$ , which falls like  $1/M^2$ , if the distribution was Gaussian. The corrections to the Gaussian result fall as  $1/M^3$  and so become negligible at large  $M$ . These results assume that  $(J(y) f(x(y)))^n$  is integrable for all  $n$ , which need not be the case if  $f(x)$  has (integrable) singularities.

## 2.2 The vegas Grid

`vegas` implements the transformation of an integration variable  $x$  into a new variable  $y$  using a grid in  $x$  space:

$$\begin{aligned} x_0 &= a \\ x_1 &= x_0 + \Delta x_0 \\ x_2 &= x_1 + \Delta x_1 \\ &\dots \\ x_N &= x_{N-1} + \Delta x_{N-1} = b \end{aligned}$$

The grid specifies the transformation function at the points  $y = i/N$  for  $i = 0, 1 \dots N$ :

$$x(y=i/N) = x_i$$

Linear interpolation is used between those points. The Jacobian for this transformation function is piecewise constant:

$$J(y) = J_i = N \Delta x_i$$

for  $i/N < y < (i+1)/N$ .

The variance for a Monte Carlo estimate using this transformation becomes

$$\sigma_I^2 = \frac{1}{M} \left( \sum_i J_i \int_{x_i}^{x_{i+1}} dx f^2(x) - I^2 \right)$$

Treating the  $J_i$  as independent variables, with the constraint

$$\sum_i \frac{\Delta x_i}{J_i} = \sum_i \Delta y_i = 1,$$

it is trivial to show that the standard deviation is minimized when

$$\frac{J_i^2}{\Delta x_i} \int_{x_i}^{x_{i+1}} dx f^2(x) = N^2 \Delta x_i \int_{x_i}^{x_{i+1}} dx f^2(x) = \text{constant}$$


for all  $i$ .


`vegas` adjusts the grid until this last condition is satisfied. As a result grid increments  $\Delta x_i$  are small in regions where  $|f(x)|$  is large. `vegas` typically has no knowledge of the integrand initially, and so starts with a uniform  $x$  grid. As it samples the integrand it also estimates the integrals

$$\int_{x_i}^{x_{i+1}} dx f^2(x),$$

and use this information to refine its choice of  $\Delta x_i$ s, bringing them closer to their optimal values, for use in subsequent iterations. The grid usually converges, after several iterations, to the optimal grid.

This analysis generalizes easily to multi-dimensional integrals. `vegas` applies a similar transformation in each direction, and the grid increments along an axis are made smaller in regions where the projection of the integral onto that axis is larger. For example, the optimal grid for the four-dimensional Gaussian integral in the previous section looks like:





These grids transform into uniformly-spaced grids in  $y$  space. Consequently a uniform,  $y$ -space Monte Carlo places the same number of integrand evaluations, on average, in every rectangle of these pictures. (The average number is typically much less one in higher dimensions.) Integrand evaluations are concentrated in regions where the  $x$ -space rectangles are small (and therefore numerous) — here in the vicinity of  $x = [0.5, 0.5, 0.5, 0.5]$ , where the peak is.

These plots were obtained by including the line

```
integ.map.show_grid(30)
```

in the integration code after the integration is finished. It causes `matplotlib` (if it is installed) to create images showing the locations of 30 nodes of the grid in each direction. (The grid uses 99 nodes in all on each axis, but that is too many to display at low resolution.)

## 2.3 Adaptive Stratified Sampling

A limitation of `vegas`'s remapping strategy becomes obvious if we look at the grid for the following integral, which has two Gaussians arranged along the diagonal of the hypercube:

```
import vegas
import math

def f2(x):
    dx2 = 0
    for i in range(4):
        dx2 += (x[i] - 1/3.) ** 2
    ans = math.exp(-dx2 * 100.) * 1013.2167575422921535
    dx2 = 0
    for i in range(4):
        dx2 += (x[i] - 2/3.) ** 2
```

```

ans += math.exp(-dx2 * 100.) * 1013.2167575422921535
return ans / 2.


integ = vegas.Integrator(4 * [[0, 1]])

integ(f2, nitn=10, neval=4e4)
result = integ(f2, nitn=30, neval=4e4)
print('result = %s    Q = %.2f' % (result, result.Q))

integ.map.show_grid(70)

```

This code gives the following grid, now showing 70 nodes in each direction:



The grid shows that `vegas` is concentrating on the regions around  $x=[0.33, 0.33, 0.33, 0.33]$  and  $x=[0.67, 0.67, 0.67, 0.67]$ , where the peaks are. Unfortunately it is also concentrating on regions around points like  $x=[0.67, 0.33, 0.33, 0.33]$  where the integrand is very close to zero. There are 14 such phantom peaks that `vegas`'s new integration variables emphasize, in addition to the 2 regions where the integrand actually is large. This grid gives much better results than using a uniform grid, but it obviously wastes integration resources. It is a consequence of the fact that `vegas` remaps the integration variables in each direction separately. Projected on the  $x[0]$  axis, for example, this integrand appears to have two peaks and so `vegas` will focus on both regions of  $x[0]$ , independently of what it does along the  $x[1]$  axis.

`vegas` uses axis-oriented remappings because other alternatives are much more complicated and expensive; and `vegas`'s principal adaptive strategy has proven very effective in many realistic applications.

An axis-oriented strategy will always have difficulty adapting to structures that lie along diagonals of the integration volume. To address such problems, the new version of `vegas` introduces a second adaptive strategy, based upon another standard Monte Carlo technique called "stratified sampling." `vegas` divides the  $d$ -dimensional  $y$ -space volume into  $M_{st}^d$  hypercubes using a uniform  $y$ -space grid with  $M_{st}$  stratifications on each axis. It estimates the integral by doing a separate Monte Carlo integration in each of the hypercubes, and adding the results together to provide an estimate for the integral over the entire integration region. Typically this  $y$ -space grid is much coarser than the  $x$ -space grid used to remap the integration variables. This is because `vegas` needs at least two integrand evaluations in each

$y$ -space hypercube, and so must keep the number of hypercubes  $M_{\text{st}}^d$  smaller than  $\text{neval}/2$ . This can restrict  $M_{\text{st}}$  severely when  $d$  is large.

Older versions of `vegas` also divide  $y$ -space into hypercubes and do Monte Carlo estimates in the separate hypercubes. These versions, however, use the same number of integrand evaluations in each hypercube. In the new version, `vegas` adjusts the number of evaluations used in a hypercube in proportion to the standard deviation of the integrand estimates (in  $y$  space) from that hypercube. It uses information about the hypercube's standard deviation in one iteration to set the number of evaluations for that hypercube in the next iteration. In this way it concentrates integrand evaluations where the potential statistical errors are largest.

In the two-Gaussian example above, for example, the new `vegas` shifts integration evaluations away from the phantom peaks, into the regions occupied by the real peaks since this is where all the error comes from. This improves `vegas`'s ability to estimate the contributions from the real peaks and reduces statistical errors, provided `neval` is large enough to permit a large number (more than 2 or 3)  $M_{\text{st}}$  of stratifications on each axis. With `neval=4e4`, statistical errors for the two-Gaussian integral are reduced by more than a factor of 3 relative to what older versions of `vegas` give. This is a relatively easy integral; the difference can be more than an order of magnitude for more difficult (and realistic) integrals.

# VEGAS MODULE

## 3.1 Introduction

The key Python objects supported by the `vegas` module are:

- `vegas.Integrator` — an object describing a multidimensional integration operator. These contain information about the integration volume, but also about optimal remappings of the integration variables based upon the last integral evaluated using the object.
- `vegas.AdaptiveMap` — an object describing the remappings used by `vegas`.
- `vegas.RunningWAvg` — an object describing the result of a `vegas` integration. `vegas` returns the weighted average of the integral estimates from each `vegas` iteration as an object of class `vegas.RunningWAvg`. These are Gaussian random variables — that is, they have a mean and a standard deviation — but also contain information about the iterations `vegas` used in generating the result.

These are described in detail below.

## 3.2 Integrator Objects

The central component of the `vegas` package is the integrator class:

**class** `vegas.Integrator`

Adaptive multidimensional Monte Carlo integration.

`vegas.Integrator` objects make Monte Carlo estimates of multidimensional functions  $f(x)$  where  $x[d]$  is a point in the integration volume:

```
integ = vegas.Integrator(integration_region)

result = integ(f, nitn=10, neval=10000)
```

The integrator makes `nitn` estimates of the integral, each using at most `neval` samples of the integrand, as it adapts to the specific features of the integrand. Successive estimates typically improve in accuracy until the integrator has fully adapted. The integrator returns the weighted average of all `nitn` estimates, together with an estimate of the statistical (Monte Carlo) uncertainty in that estimate of the integral. The result is an object of type `RunningWAvg` (which is derived from `gvar.GVar`).

`vegas.Integrators` have a large number of parameters but the only ones that most people will care about are: the number `nitn` of iterations of the `vegas` algorithm; the maximum number `neval` of integrand evaluations per iteration; and the damping parameter `alpha`, which is used to slow down the adaptive algorithms when they would otherwise be unstable (e.g., very peaky integrands). Setting parameter `analyzer=vegas.reporter()` is sometimes useful, as well, since it causes `vegas` to print (on

`sys.stdout`) intermediate results from each iteration, as they are produced. This helps when each iteration takes a long time to complete (e.g., an hour) because it allows you to monitor progress as it is being made (or not).

### Parameters

- **map** (array or `vegas.AdaptiveMap` or `vegas.Integrator`) – The integration region as specified by an array `map[d, i]` where `d` is the direction and `i=0,1` specify the lower and upper limits of integration in direction `d`.

`map` could also be the integration map from another `vegas.Integrator`, or that `vegas.Integrator` itself. In this case the grid is copied from the existing integrator.

- **nitn** (*positive int*) – The maximum number of iterations used to adapt to the integrand and estimate its value. The default value is 10; typical values range from 10 to 20.
- **neval** (*positive int*) – The maximum number of integrand evaluations in each iteration of the `vegas` algorithm. Increasing `neval` increases the precision: statistical errors should fall at least as fast as  $\sqrt{1./neval}$  and often fall much faster. The default value is 1000; real problems often require 10–100 times more evaluations than this.
- **alpha** (*float*) – Damping parameter controlling the remapping of the integration variables as `vegas` adapts to the integrand. Smaller values slow adaptation, which may be desirable for difficult integrands. Small or zero `alphas` are also sometimes useful after the grid has adapted, to minimize fluctuations away from the optimal grid. The default value is 0.5.
- **beta** (*float*) – Damping parameter controlling the redistribution of integrand evaluations across hypercubes in the stratified sampling of the integrand (over transformed variables). Smaller values limit the amount of redistribution. The theoretically optimal value is 1; setting `beta=0` prevents any redistribution of evaluations. The default value is 0.75.
- **nhcube\_vec** (*positive int*) – The number of hypercubes (in `y` space) whose integration points are combined into a single vector to be passed to the integrand, all together, when using `vegas` in vector mode (see `fcntype='vector'` below). The default value is 100. Larger values may lead to faster evaluations, but at the cost of more memory for internal work arrays.
- **minimize\_mem** (*bool*) – When `True`, `vegas` minimizes internal workspace at the cost of extra evaluations of the integrand. This can increase execution time by 50–100% but might be desirable when the number of evaluations is very large (e.g., `neval=1e9`). Normally `vegas` uses internal work space that grows in proportion to `neval`. If that work space exceeds the size of the RAM available to the processor, `vegas` runs much more slowly. Setting `minimize_mem=True` greatly reduces the internal storage used by `vegas`; in particular memory becomes independent of `neval`. The default setting (`minimize_mem=False`), however, is much superior unless memory becomes a problem. (The large memory is needed for adaptive stratified sampling, so memory is not an issue if `beta=0`.)
- **adapt\_to\_errors** (*bool*) – `adapt_to_errors=False` causes `vegas` to remap the integration variables to emphasize regions where  $|f(x)|$  is largest. This is the default mode.  
  
`adapt_to_errors=True` causes `vegas` to remap variables to emphasize regions where the Monte Carlo error is largest. This might be superior when the number of the number of stratifications in the `y` grid is large ( $> 50?$ ). It is typically useful only in one or two dimensions.
- **maxinc\_axis** (*positive int*) – The maximum number of increments per axis allowed for the `x`-space grid. The default value is 1000; there is probably little need to use other values.

- **max\_nhcube** (*positive int*) – Maximum number of y-space hypercubes used for stratified sampling. Setting `max_nhcube=1` turns stratified sampling off, which is probably never a good idea. The default setting (5e8) was chosen to correspond to the point where internal work arrays become comparable in size to the typical amount of RAM available to a processor (in a laptop in 2014). Internal memory usage is large only when `beta>0` and `minimize_mem=False`; therefore `max_nhcube` is ignored if `beta=0` or `minimize_mem=True`.
- **max\_neval\_hcube** (*positive int*) – Maximum number of integrand evaluations per hypercube in the stratification. The default value is 1e7. Larger values might allow for more adaptation (when `neval` is larger than  $2 * \text{max\_neval\_hcube}$ ), but also can result in very large internal work arrays.
- **fcntype** (*str*) – Specifies the default type of integrand.

`fcntype='scalar'` implies that the integrand is a function  $f(x)$  of a single integration point  $x[d]$ .

`fcntype='vector'` implies that the integrand function takes three arguments: a list of integration points  $x[i, d]$ , where  $i=0 \dots nx-1$  labels the integration point and  $d$  labels the direction; a buffer `f[i]` into which the corresponding integrand values are written; and the number `nx` of integration points provided.

The default is `fcntype=scalar`, but this is overridden if the integrand has a `fcntype` attribute. It is also overridden for classes derived from `vegas.VecIntegrand`, which are treated as `fcntype='vector'` integrands.

- **rtol** (*float less than 1*) – Relative error in the integral estimate at which point the integrator can stop. The default value is 0.0 which means that the integrator will complete all iterations specified by `nitn`.
- **atol** (*float*) – Absolute error in the integral estimate at which point the integrator can stop. The default value is 0.0 which means that the integrator will complete all iterations specified by `nitn`.
- **analyzer** – An object with methods

```
analyzer.begin(itn, integrator)
analyzer.end(itn_result, result)
```

where: `begin(itn, integrator)` is called at the start of each `vegas` iteration with `itn` equal to the iteration number and `integrator` equal to the integrator itself; and `end(itn_result, result)` is called at the end of each iteration with `itn_result` equal to the result for that iteration and `result` equal to the cumulative result of all iterations so far. Setting `analyzer=vegas.reporter()`, for example, causes `vegas` to print out a running report of its results as they are produced. The default is `analyzer=None`.

`vegas.Integrator` objects have attributes for each of these parameters. In addition they have the following methods:

**set** (*ka={}*, *\*\*kargs*)

Reset default parameters in integrator.

Usage is analogous to the constructor for `vegas.Integrator`: for example,

```
old_defaults = integ.set(neval=1e6, nitn=20)
```

resets the default values for `neval` and `nitn` in `vegas.Integrator` `integ`. A dictionary, here `old_defaults`, is returned. It can be used to restore the old defaults using, for example:

```
integ.set(old_defaults)
```

**settings** (*ngrid=0*)

Assemble summary of integrator settings into string.

**Parameters** **ngrid** (*int*) – Number of grid nodes in each direction to include in summary. The default is 0.

**Returns** String containing the settings.

**multi** (*fcn, nitn=10*)

Estimate multiple integrals simultaneously.

This method estimates integrals for arrays (with any shape) of integrands using the same integration points for every integral. A typical application might look something like the following:

```
def p(x):
    ... some function of x[d] ...

def f(x):
    pp = p(x)
    return [pp, pp * x[0], pp * x[1]]

integ = Integrator(...)

# train the integrator on p(x)
training = integ(p, ...)

# compute multiple integrals
result = integ.multi(f, nitn=20)
... use integral estimates result[i] for i=0, 1, 2 ...
```

Here the integrator is first trained on function  $p(x)$  in a normal integration step. The trained integrator is then applied to function  $f(x)$  which returns values for three different integrands, arranged in an array.

The number of integration points used and the adaptations are carried over from the training step. *vegas* does *not* adapt to  $f(x)$  in `multi`, which is why there is a training step.

`vegas.Integrator.multi()` also works for vectorized integrands from classes of the form:

```
class fvec(vegas.VecIntegrand):
    ...
    def __call__(self, x):
        ... x[i, d] are integration points ...
        ... f[i, s1, s2, ...] are integrand values ...
        return f
    ...
```

`fvec()` creates an integrand that accepts multiple integration points  $x[i, d]$  and returns multiple integrand values  $f[i, s1, s2, \dots]$  where  $i$  labels the integration point,  $d$  labels the direction, and  $s1, s2, \dots$  label the different integrands.

The covariance matrix for the integral estimates is determined from fluctuations between the `nitn` iterations. Taking `nitn=10` or `20` usually results in error estimates that are accurate to within 15–20%.

This method requires the `gvar` module from `lsqfit` (install using `pip install lsqfit`, for example).

**random()**

Iterator over integration points and weights.

This method creates an iterator that returns integration points from `vegas`, and their corresponding weights in an integral. Each point `x[d]` is accompanied by the weight assigned to that point by `vegas` when estimating an integral.

Given an `vegas.Integrator` `integ`, presumably trained on some integrand, the following code would create a Monte Carlo estimate of the integral of a possibly different integrand  $f(x)$ :

```
integral = 0.0
for x, wgt in integ.random():
    integral += wgt * f(x)
```

Here  $f(x)$  returns an array `f_array[i]` corresponding to the integrand values for points `x[i, d]`.

#### `random_vec()`

Iterator over integration points and weights.

This method creates an iterator that returns integration points from `vegas`, and their corresponding weights in an integral. The points are provided in arrays `x[i, d]` where `i=0...` labels the integration points in a batch (or vector) and `d=0...` labels direction. The corresponding weights assigned by `vegas` to each point are provided in an array `wgt[i]`.

Given an `vegas.Integrator` `integ`, presumably trained on some integrand, the following code would create a Monte Carlo estimate of the integral of a possibly different (vector) integrand  $f(x)$ :

```
integral = 0.0
for x, wgt in integ.random_vec():
    f_array = f(x)
    integral += numpy.dot(wgt, f_array)
```

Here  $f(x)$  returns an array `f_array[i]` corresponding to the integrand values for points `x[i, d]`. The points and weights yielded by the iterator are memoryview objects which can be converted to numpy arrays, if needed, using:

```
x = numpy.asarray(x)
wgt = numpy.asarray(wgt)
```

## 3.3 AdaptiveMap Objects

`vegas`'s remapping of the integration variables is handled by a `vegas.AdaptiveMap` object, which maps the original integration variables  $x$  into new variables  $y$  in a unit hypercube. Each direction has its own map specified by a grid in  $x$  space:

$$\begin{aligned}x_0 &= a \\x_1 &= x_0 + \Delta x_0 \\x_2 &= x_1 + \Delta x_1 \\&\dots \\x_N &= x_{N-1} + \Delta x_{N-1} = b\end{aligned}$$

where  $a$  and  $b$  are the limits of integration. The grid specifies the transformation function at the points  $y = i/N$  for  $i = 0, 1 \dots N$ :

$$x(y=i/N) = x_i$$

Linear interpolation is used between those points. The Jacobian for this transformation is:

$$J(y) = J_i = N\Delta x_i$$

`vegas` adjusts the increments sizes to optimize its Monte Carlo estimates of the integral. This involves training the grid. To illustrate how this is done with `vegas.AdaptiveMaps` consider a simple two dimensional integral over a unit hypercube with integrand:

```
def f(x):
    return x[0] * x[1] ** 2
```

We want to create a grid that optimizes uniform Monte Carlo estimates of the integral in  $y$  space. We do this by sampling the integrand at a large number `ny` of random points  $y[j, d]$ , where  $j=0 \dots ny-1$  and  $d=0, 1$ , uniformly distributed throughout the integration volume in  $y$  space. These samples be used to train the grid using the following code:

```
import vegas
import numpy as np

def f(x):
    return x[0] * x[1] ** 2

m = vegas.AdaptiveMap([[0, 1], [0, 1]], ninc=5)

ny = 1000
y = np.random.uniform(0., 1., (ny, 2)) # 1000 random y's

x = np.empty(y.shape, float) # work space
jac = np.empty(y.shape[0], float)
f2 = np.empty(y.shape[0], float)

print('initial grid:')
print(m.settings())

for itn in range(5): # 5 iterations to adapt
    m.map(y, x, jac) # compute x's and jac

    for j in range(ny): # compute training data
        f2[j] = (jac[j] * f(x[j])) ** 2

    m.add_training_data(y, f2) # adapt
    m.adapt(alpha=1.5)

    print('iteration %d:' % itn)
    print(m.settings())
```

In each of the 5 iterations, the `vegas.AdaptiveMap` adjusts the map, making increments smaller where `f2` is larger and larger where `f2` is smaller. The map converges after only 2 or 3 iterations, as is clear from the output:

```
initial grid:
grid[ 0] = [ 0.   0.2  0.4  0.6  0.8  1. ]
grid[ 1] = [ 0.   0.2  0.4  0.6  0.8  1. ]

iteration 0:
grid[ 0] = [ 0.   0.411  0.618  0.772  0.89  1. ]
grid[ 1] = [ 0.   0.508  0.694  0.822  0.911  1. ]
```

```

iteration 1:
  grid[ 0] = [ 0.      0.408  0.611  0.76   0.887  1.   ]
  grid[ 1] = [ 0.      0.542  0.718  0.835  0.922  1.   ]

iteration 2:
  grid[ 0] = [ 0.      0.411  0.612  0.76   0.887  1.   ]
  grid[ 1] = [ 0.      0.551  0.721  0.835  0.924  1.   ]

iteration 3:
  grid[ 0] = [ 0.      0.411  0.612  0.76   0.887  1.   ]
  grid[ 1] = [ 0.      0.554  0.721  0.836  0.924  1.   ]

iteration 4:
  grid[ 0] = [ 0.      0.411  0.612  0.76   0.887  1.   ]
  grid[ 1] = [ 0.      0.555  0.722  0.836  0.925  1.   ]

```

The grid increments along direction 0 shrink at larger values  $x[0]$ , varying as  $1/x[0]$ . Along direction 1 the increments shrink more quickly varying like  $1/x[1]**2$ .

`vegas` samples the integrand in order to estimate the integral. It uses those same samples to train its `vegas.AdaptiveMap` in this fashion, for use in subsequent iterations of the algorithm.

#### class `vegas.AdaptiveMap`

Adaptive map  $y \rightarrow x(y)$  for multidimensional  $y$  and  $x$ .

An `AdaptiveMap` defines a multidimensional map  $y \rightarrow x(y)$  from the unit hypercube, with  $0 \leq y[d] \leq 1$ , to an arbitrary hypercube in  $x$  space. Each direction is mapped independently with a Jacobian that is tunable (i.e., “adaptive”).

The map is specified by a grid in  $x$ -space that, by definition, maps into a uniformly spaced grid in  $y$ -space. The nodes of the grid are specified by `grid[d, i]` where  $d$  is the direction ( $d=0, 1, \dots, \text{dim}-1$ ) and  $i$  labels the grid point ( $i=0, 1, \dots, N$ ). The mapping for a specific point  $y$  into  $x$  space is:

$$y[d] \rightarrow x[d] = \text{grid}[d, i(y[d])] + \text{inc}[d, i(y[d])] * \text{delta}(y[d])$$

where  $i(y) = \text{floor}(y*N)$ ,  $\text{delta}(y) = y*N - i(y)$ , and  $\text{inc}[d, i] = \text{grid}[d, i+1] - \text{grid}[d, i]$ . The Jacobian for this map,

$$dx[d]/dy[d] = \text{inc}[d, i(y[d])] * N,$$

is piece-wise constant and proportional to the  $x$ -space grid spacing. Each increment in the  $x$ -space grid maps into an increment of size  $1/N$  in the corresponding  $y$  space. So regions in  $x$  space where  $\text{inc}[d, i]$  is small are stretched out in  $y$  space, while larger increments are compressed.

The  $x$  grid for an `AdaptiveMap` can be specified explicitly when the map is created: for example,

```
m = AdaptiveMap([[0, 0.1, 1], [-1, 0, 1]])
```

creates a two-dimensional map where the  $x[0]$  interval  $(0, 0.1)$  and  $(0.1, 1)$  map into the  $y[0]$  intervals  $(0, 0.5)$  and  $(0.5, 1)$  respectively, while  $x[1]$  intervals  $(-1, 0)$  and  $(0, 1)$  map into  $y[1]$  intervals  $(0, 0.5)$  and  $(0.5, 1)$ .

More typically an initially uniform map is trained with data  $f[j]$  corresponding to  $n_y$  points  $y[j, d]$ , with  $j=0, \dots, n_y-1$ , uniformly distributed in  $y$  space: for example,

```
m.add_training_data(y, f)
m.adapt(alpha=1.5)
```

`m.adapt(alpha=1.5)` shrinks grid increments where  $f[j]$  is large, and expands them where  $f[j]$  is small. Typically one has to iterate over several sets of  $y$ s and  $f$ s before the grid has fully adapted.

The speed with which the grid adapts is determined by parameter `alpha`. Large (positive) values imply rapid adaptation, while small values (much less than one) imply slow adaptation. As in any iterative process, it is usually a good idea to slow adaptation down in order to avoid instabilities.

#### Parameters

- **grid** – Initial  $x$  grid, where `grid[d, i]` is the  $i$ -th node in direction  $d$ .
- **ninc** (*int* or *None*) – Number of increments along each axis of the  $x$  grid. A new grid is generated if `ninc` differs from `grid.shape[1]`. The new grid is designed to give the same Jacobian  $dx(y)/dy$  as the original grid. The default value, `ninc=None`, leaves the grid unchanged.

#### **dim**

Number of dimensions.

#### **ninc**

Number of increments along each grid axis.

#### **grid**

The nodes of the grid defining the maps are `self.grid[d, i]` where  $d=0\dots$  specifies the direction and  $i=0\dots self.ninc$  the node.

#### **inc**

The increment widths of the grid:

```
self.inc[d, i] = self.grid[d, i + 1] - self.grid[d, i]
```

#### **adapt** (*alpha=0.0, ninc=None*)

Adapt grid to accumulated training data.

`self.adapt(...)` projects the training data onto each axis independently and maps it into  $x$  space. It shrinks  $x$ -grid increments in regions where the projected training data is large, and grows increments where the projected data is small. The grid along any direction is unchanged if the training data is constant along that direction.

The number of increments along a direction can be changed by setting parameter `ninc`.

The grid does not change if no training data has been accumulated, unless `ninc` is specified, in which case the number of increments is adjusted while preserving the relative density of increments at different values of  $x$ .

#### Parameters

- **alpha** (*double* or *None*) – Determines the speed with which the grid adapts to training data. Large (positive) values imply rapid evolution; small values (much less than one) imply slow evolution. Typical values are of order one. Choosing `alpha<0` causes adaptation to the unmodified training data (usually not a good idea).
- **ninc** (*int* or *None*) – Number of increments along each direction in the new grid. The number is unchanged from the old grid if `ninc` is omitted (or equals *None*).

#### **add\_training\_data** (*y, f, ny=-1*)

Add training data  $f$  for  $y$ -space points  $y$ .

Accumulates training data for later use by `self.adapt()`. Grid increments will be made smaller in regions where  $f$  is larger than average, and larger where  $f$  is smaller than average. The grid is unchanged (converged?) when  $f$  is constant across the grid.

#### Parameters

- **y** (*contiguous 2-d array of floats*) –  $y$  values corresponding to the training data.  $y$  is a contiguous 2-d array, where `y[j, d]` is for points along direction  $d$ .

- **f** (*contiguous 2-d array of floats*) – Training function values. `f[j]` corresponds to point `y[j, d]` in *y*-space.
- **ny** (*int*) – Number of *y* points: `y[j, d]` for `d=0...dim-1` and `j=0...ny-1`. `ny` is set to `y.shape[0]` if it is omitted (or negative).

**\_\_call\_\_**(*y*)

Return *x* values corresponding to *y*.

*y* can be a single *dim*-dimensional point, or it can be an array `y[i, j, ..., d]` of such points (`d=0...dim-1`).

**jac**(*y*)

Return the map's Jacobian at *y*.

*y* can be a single *dim*-dimensional point, or it can be an array `y[d, i, j, ...]` of such points (`d=0...dim-1`).

**make\_uniform** (*ninc=None*)

Replace the grid with a uniform grid.

The new grid has *ninc* increments along each direction if *ninc* is specified. Otherwise it has the same number of increments as the old grid.

**map** (*y, x, jac, ny=-1*)

Map *y* to *x*, where *jac* is the Jacobian.

`y[j, d]` is an array of `ny` *y*-values for direction *d*. `x[j, d]` is filled with the corresponding *x* values, and `jac[j]` is filled with the corresponding Jacobian values. *x* and *jac* must be preallocated: for example,

```
x = numpy.empty(y.shape, float)
jac = numpy.empty(y.shape[0], float)
```

### Parameters

- **y** (*contiguous 2-d array of floats*) – *y* values to be mapped. *y* is a contiguous 2-d array, where `y[j, d]` contains values for points along direction *d*.
- **x** (*contiguous 2-d array of floats*) – Container for *x* values corresponding to *y*.
- **jac** (*contiguous 1-d array of floats*) – Container for Jacobian values corresponding to *y*.
- **ny** (*int*) – Number of *y* points: `y[j, d]` for `d=0...dim-1` and `j=0...ny-1`. `ny` is set to `y.shape[0]` if it is omitted (or negative).

**show\_grid** (*ngrid=40, shrink=False*)

Display plots showing the current grid.

### Parameters

- **ngrid** (*int*) – The number of grid nodes in each direction to include in the plot. The default is 40.
- **shrink** – Display entire range of each axis if `False`; otherwise shrink range to include just the nodes being displayed. The default is `False`.

**Nparam axes** List of pairs of directions to use in different views of the grid. Using `None` in place of a direction plots the grid for only one direction. Omitting *axes* causes a default set of pairings to be used.

**settings** (*ngrid=5*)

Create string with information about grid nodes.

Creates a string containing the locations of the nodes in the map grid for each direction. Parameter `ngrid` specifies the maximum number of nodes to print (spread evenly over the grid).

## 3.4 Other Objects

### class `vegas.RunningWAvg`

Running weighted average of Monte Carlo estimates.

This class accumulates independent Monte Carlo estimates (e.g., of an integral) and combines them into a single weighted average. It is derived from `gvar.GVar` (from the `lsqfit` module if it is present) and represents a Gaussian random variable.

#### **mean**

The mean value of the weighted average.

#### **sdev**

The standard deviation of the weighted average.

#### **chi2**

$chi^2$  of weighted average.

#### **dof**

Number of degrees of freedom in weighted average.

#### **Q**

$Q$  or  $p$ -value of weighted average's  $chi^2$ .

#### **itn\_results**

A list of the results from each iteration.

#### **add(*g*)**

Add estimate  $g$  to the running average.

#### **summary()**

Assemble summary of independent results into a string.

### class `vegas.VecIntegrand`

Base class for classes providing vectorized integrands.

A class derived from `vegas.VecIntegrand` will normally provide a `__call__(self, x, f, nx)` method where:

`x[i, d]` is a contiguous array where  $i=0 \dots nx-1$  labels different integration points and  $d=0 \dots$  labels different directions in the integration space.

`f[i]` is a buffer that is filled with the integrand values for points  $i=0 \dots nx-1$ .

`nx` is the number of integration points.

`x[i, d]` and `f[i]` are `memoryview` objects. They can be repackaged inside `__call__(x, f, nx)` as `numpy` arrays, if needed, using:

```
x = numpy.asarray(x)[:nx, :]
f = numpy.asarray(f)[:nx]
```

This causes the `numpy` arrays to use the storage allocated internally by `vegas` for `x` and `f`, which is what is wanted for efficiency.

`vegas.VecIntegrand` is also used for vectorized integrands used in `vegas.Integrator.multi()`. The derived class should then provide a `__call__(self, x)` method where again `x[i, d]` is a contiguous array containing multiple integration points, but which now returns an array `f[i, s1, s2, ...]` of integrand values where `s1, s2, ...` label the different integrands (the shape is arbitrary).

Deriving from `vegas.VecIntegrand` is the easiest way to construct integrands in Cython, and gives the fastest results.



# INDICES AND TABLES

- *genindex*
- *modindex*
- *search*



# PYTHON MODULE INDEX

## V

vegas, 23



# INDEX

## Symbols

`__call__()` (vegas.AdaptiveMap method), 31

## A

`adapt()` (vegas.AdaptiveMap method), 30

AdaptiveMap (class in vegas), 29

`add()` (vegas.RunningWAvg method), 32

`add_training_data()` (vegas.AdaptiveMap method), 30

## C

`chi2` (vegas.RunningWAvg attribute), 32

## D

`dim` (vegas.AdaptiveMap attribute), 30

`dof` (vegas.RunningWAvg attribute), 32

## G

`grid` (vegas.AdaptiveMap attribute), 30

## I

`inc` (vegas.AdaptiveMap attribute), 30

Integrator (class in vegas), 23

`itn_results` (vegas.RunningWAvg attribute), 32

## J

`jac()` (vegas.AdaptiveMap method), 31

## M

`make_uniform()` (vegas.AdaptiveMap method), 31

`map()` (vegas.AdaptiveMap method), 31

`mean` (vegas.RunningWAvg attribute), 32

`multi()` (vegas.Integrator method), 26

## N

`ninc` (vegas.AdaptiveMap attribute), 30

## Q

`Q` (vegas.RunningWAvg attribute), 32

## R

`random()` (vegas.Integrator method), 26

`random_vec()` (vegas.Integrator method), 27

RunningWAvg (class in vegas), 32

## S

`sdev` (vegas.RunningWAvg attribute), 32

`set()` (vegas.Integrator method), 25

`settings()` (vegas.AdaptiveMap method), 31

`settings()` (vegas.Integrator method), 26

`show_grid()` (vegas.AdaptiveMap method), 31

`summary()` (vegas.RunningWAvg method), 32

## V

VecIntegrand (class in vegas), 32

vegas (module), 23