

Magnetic Field Model Equations

Matt James

January 13, 2023

1 T89

1.1 Tail Current Sheet

$$B_x = A_1 B_{x1} + A_2 B_{x2} + A_{16} B_{x3} + A_{17} B_{x4}, \quad (1)$$

$$B_y = A_1 B_{y1} + A_2 B_{y2} + A_{16} B_{y3} + A_{17} B_{y4}, \quad (2)$$

$$B_z = A_1 B_{z1} + A_2 B_{z2} + A_{16} B_{z3} + A_{17} B_{z4}, \quad (3)$$

$$B_{x3} = B_{x1} \psi^2 \quad (4)$$

$$B_{x4} = B_{x2} \psi^2 \quad (5)$$

$$B_{y3} = B_{y1} \psi^2 \quad (6)$$

$$B_{y4} = B_{y2} \psi^2 \quad (7)$$

$$B_{z3} = B_{z1} \psi^2 \quad (8)$$

$$B_{z4} = B_{z2} \psi^2 \quad (9)$$

$$B_x = (A_1 + A_{16} \psi^2) B_{x1} + (A_2 + A_{17} \psi^2) B_{x2} \quad (10)$$

$$B_y = (A_1 + A_{16} \psi^2) B_{y1} + (A_2 + A_{17} \psi^2) B_{y2} \quad (11)$$

$$B_z = (A_1 + A_{16} \psi^2) B_{z1} + (A_2 + A_{17} \psi^2) B_{z2} \quad (12)$$

$$B_{x1} = B_x^{(C1)} \cos \psi + B_z^{(C1)} \sin \psi \quad (13)$$

$$B_{x2} = B_x^{(C2)} \cos \psi + B_z^{(C2)} \sin \psi \quad (14)$$

$$B_{y1} = Q_T^{(C1)} y z_r \quad (15)$$

$$B_{y2} = Q_T^{(C2)} y z_r \quad (16)$$

$$B_{z1} = B_z^{(C1)} \cos \psi - B_x^{(C1)} \sin \psi \quad (17)$$

$$B_{z2} = B_z^{(C2)} \cos \psi - B_x^{(C2)} \sin \psi \quad (18)$$

$$Q_T = \frac{W(x, y)}{\xi_T S_T} \left[\frac{C_1}{S_T + a_T + \xi_T} + \frac{C_2}{S_T^2} \right] \quad (19)$$

$$= Q_T^{(C1)} C_1 + Q_T^{(C2)} C_2 \quad (20)$$

$$Q_T^{(C1)} = \frac{W(x, y)}{\xi_T S_T (S_T + a_T + \xi_T)} \quad (21)$$

$$Q_T^{(C2)} = \frac{W(x, y)}{\xi_T S_T^3} \quad (22)$$

$$S_T = \sqrt{\rho^2 + (a_T + \xi_T)^2} \quad (23)$$

$$\xi_T = \sqrt{z_r^2 + D_T^2} \quad (24)$$

$$z_r = z - z_s(x, y, \psi) \quad (25)$$

$$z_s(x, y, \psi) = 0.5 \tan \psi (x + R_c - \sqrt{(x + R_c)^2 + 16}) - G \sin \psi \cdot y^4 (y^4 + L_y^4)^{-1} \quad (26)$$

$$\frac{\partial z_s}{x} = 0.5 \tan \psi \left[1 - \frac{x + R_c}{\sqrt{(x + R_c)^2 + 16}} \right] \quad (27)$$

$$\frac{\partial z_s}{y} = \frac{4Gy^3 L_y^4 \sin \psi}{(y^4 + L_y^4)^2} \quad (28)$$

$$D_T = D_0 + \delta y^2 + \gamma_T h_T(x) [+ \gamma_1 h_1(x) \text{ not included}] \quad (29)$$

$$\frac{\partial D_T}{\partial x} = \frac{\gamma_T L_T^2}{2(x^2 + L_T^2)^{2/3}} \quad (30)$$

$$\frac{\partial D_T}{\partial y} = 2\delta y \quad (31)$$

$$B_x^{(C1)} = Q_T^{(C1)} x z_r \quad (32)$$

$$B_x^{(C2)} = Q_T^{(C1)} x z_r \quad (33)$$

$$B_z^{(C1)} = \frac{W(x, y)}{S_T} + \frac{x \frac{\partial W}{\partial x} + y \frac{\partial W}{\partial y}}{S_T + a_T + \xi_T} + B_x^{(C1)} \frac{\partial z_s}{\partial x} + B_y^{(C1)} \frac{\partial z_s}{\partial y} - Q_T^{(C1)} D_T \left(x \frac{\partial D_T}{\partial x} + y \frac{\partial D_T}{\partial y} \right) \quad (34)$$

$$B_z^{(C2)} = \frac{W(x, y)(a_T + \xi_T)}{S_T^3} + \frac{x \frac{\partial W}{\partial x} + y \frac{\partial W}{\partial y}}{S_T(S_T + a_T + \xi_T)} + B_x^{(C2)} \frac{\partial z_s}{\partial x} + B_y^{(C2)} \frac{\partial z_s}{\partial y} - Q_T^{(C2)} D_T \left(x \frac{\partial D_T}{\partial x} + y \frac{\partial D_T}{\partial y} \right) \quad (35)$$

References