



Algorithm AS 136: A K-Means Clustering Algorithm

J. A. Hartigan; M. A. Wong

Applied Statistics, Vol. 28, No. 1. (1979), pp. 100-108.

Stable URL:

<http://links.jstor.org/sici?sici=0035-9254%281979%2928%3A1%3C100%3AAA1ACA%3E2.0.CO%3B2-V>

Applied Statistics is currently published by Royal Statistical Society.

Your use of the JSTOR archive indicates your acceptance of JSTOR's Terms and Conditions of Use, available at <http://www.jstor.org/about/terms.html>. JSTOR's Terms and Conditions of Use provides, in part, that unless you have obtained prior permission, you may not download an entire issue of a journal or multiple copies of articles, and you may use content in the JSTOR archive only for your personal, non-commercial use.

Please contact the publisher regarding any further use of this work. Publisher contact information may be obtained at <http://www.jstor.org/journals/rss.html>.

Each copy of any part of a JSTOR transmission must contain the same copyright notice that appears on the screen or printed page of such transmission.

The JSTOR Archive is a trusted digital repository providing for long-term preservation and access to leading academic journals and scholarly literature from around the world. The Archive is supported by libraries, scholarly societies, publishers, and foundations. It is an initiative of JSTOR, a not-for-profit organization with a mission to help the scholarly community take advantage of advances in technology. For more information regarding JSTOR, please contact support@jstor.org.

```

C      FIND MAXIMUM ENTRY
C
60 PIVOT = ACU
   KK = 0
   DO 70 I = II, M
     K = INDEX(I)
     IF (ABS(LU(K, II)) .LE. PIVOT) GOTO 70
     PIVOT = ABS(LU(K, II))
     KK = I
70 CONTINUE
   IF (KK .EQ. 0) GOTO 10
C
C      SWITCH ORDER
C
   ISAVE = INDEX(KK)
   INDEX(KK) = INDEX(II)
   INDEX(II) = ISAVE
C
C      PUT IN COLUMNS OF LU ONE AT A TIME
C
   IF (INTL) IBASE(II) = IROW
   IF (II .EQ. M) GOTO 90
   J = II + 1
   DO 80 I = J, M
     K = INDEX(I)
     LU(K, II) = LU(K, II) / LU(ISAVE, II)
80 CONTINUE
90 CONTINUE
   KKK = IROW
   RETURN
   END

```

Algorithm AS 136

A K -Means Clustering Algorithm

By J. A. HARTIGAN and M. A. WONG

Yale University, New Haven, Connecticut, U.S.A.

Keywords: K -MEANS CLUSTERING ALGORITHM; TRANSFER ALGORITHM

LANGUAGE

ISO Fortran

DESCRIPTION AND PURPOSE

The K -means clustering algorithm is described in detail by Hartigan (1975). An efficient version of the algorithm is presented here.

The aim of the K -means algorithm is to divide M points in N dimensions into K clusters so that the within-cluster sum of squares is minimized. It is not practical to require that the solution has minimal sum of squares against all partitions, except when M, N are small and $K = 2$. We seek instead "local" optima, solutions such that no movement of a point from one cluster to another will reduce the within-cluster sum of squares.

METHOD

The algorithm requires as input a matrix of M points in N dimensions and a matrix of K initial cluster centres in N dimensions. The number of points in cluster L is denoted by $NC(L)$. $D(I, L)$ is the Euclidean distance between point I and cluster L . The general procedure is to search for a K -partition with locally optimal within-cluster sum of squares by moving points from one cluster to another.

Step 1. For each point I ($I = 1, 2, \dots, M$), find its closest and second closest cluster centres, $IC1(I)$ and $IC2(I)$ respectively. Assign point I to cluster $IC1(I)$.

Step 2. Update the cluster centres to be the averages of points contained within them.

Step 3. Initially, all clusters belong to the live set.

Step 4. This is the optimal-transfer (*OPTRA*) stage:

Consider each point I ($I = 1, 2, \dots, M$) in turn. If cluster L ($L = 1, 2, \dots, K$) is updated in the last quick-transfer (*QTRAN*) stage, then it belongs to the live set throughout this stage. Otherwise, at each step, it is not in the live set if it has not been updated in the last M optimal-transfer steps. Let point I be in cluster $L1$. If $L1$ is in the live set, do *Step 4a*; otherwise, do *Step 4b*.

Step 4a. Compute the minimum of the quantity, $R2 = [NC(L) * D(I, L)^2] / [NC(L) + 1]$, over all clusters L ($L \neq L1, L = 1, 2, \dots, K$). Let $L2$ be the cluster with the smallest $R2$. If this value is greater than or equal to $[NC(L1) * D(I, L1)^2] / [NC(L1) - 1]$, no reallocation is necessary and $L2$ is the new $IC2(I)$. (Note that the value $[NC(L1) * D(I, L1)^2] / [NC(L1) - 1]$ is remembered and will remain the same for point I until cluster $L1$ is updated.) Otherwise, point I is allocated to cluster $L2$ and $L1$ is the new $IC2(I)$. Cluster centres are updated to be the means of points assigned to them if reallocation has taken place. The two clusters that are involved in the transfer of point I at this particular step are now in the live set.

Step 4b. This step is the same as *Step 4a*, except that the minimum $R2$ is computed only over clusters in the live set.

Step 5. Stop if the live set is empty. Otherwise, go to *Step 6* after one pass through the data set.

Step 6. This is the *quick-transfer* (*QTRAN*) stage:

Consider each point I ($I = 1, 2, \dots, M$) in turn. Let $L1 = IC1(I)$ and $L2 = IC2(I)$. It is not necessary to check the point I if both the clusters $L1$ and $L2$ have not changed in the last M steps. Compute the values

$$R1 = [NC(L1) * D(I, L1)^2] / [NC(L1) - 1] \quad \text{and} \quad R2 = [NC(L2) * D(I, L2)^2] / [NC(L2) + 1].$$

(As noted earlier, $R1$ is remembered and will remain the same until cluster $L1$ is updated.) If $R1$ is less than $R2$, point I remains in cluster $L1$. Otherwise, switch $IC1(I)$ and $IC2(I)$ and update the centres of clusters $L1$ and $L2$. The two clusters are also noted for their involvement in a transfer at this step.

Step 7. If no transfer took place in the last M steps, go to *Step 4*. Otherwise, go to *Step 6*.

STRUCTURE

SUBROUTINE KMNS ($A, M, N, C, K, IC1, IC2, NC, AN1, AN2, NCP, D, ITRAN, LIVE, ITER, WSS, IFAULT$)

Formal parameters

A	Real array (M, N)	input:	the data matrix
M	Integer	input:	the number of points
N	Integer	input:	the number of dimensions
C	Real array (K, N)	input:	the matrix of initial cluster centres
		output:	the matrix of final cluster centres
K	Integer	input:	the number of clusters
$IC1$	Integer array (M)	output:	the cluster each point belongs to
$IC2$	Integer array (M)	workspace:	this array is used to remember the cluster which each point is most likely to be transferred to at each step
NC	Integer array (K)	output:	the number of points in each cluster
$AN1$	Real array (K)	workspace:	
$AN2$	Real array (K)	workspace:	

<i>NCP</i>	Integer array (<i>K</i>)	workspace:
<i>D</i>	Real array (<i>M</i>)	workspace:
<i>ITRAN</i>	Integer array (<i>K</i>)	workspace:
<i>LIVE</i>	Integer array (<i>K</i>)	workspace:
<i>ITER</i>	Integer	input: the maximum number of iterations allowed
<i>WSS</i>	Real array (<i>K</i>)	output: the within-cluster sum of squares of each cluster
<i>IFAULT</i>	Integer	output: see Fault Diagnostics below

FAULT DIAGNOSTICS

<i>IFAULT</i> = 0	No fault
<i>IFAULT</i> = 1	At least one cluster is empty after the initial assignment. (A better set of initial cluster centres is called for)
<i>IFAULT</i> = 2	The allowed maximum number of iterations is exceeded
<i>IFAULT</i> = 3	<i>K</i> is less than or equal to 1 or greater than or equal to <i>M</i>

Auxiliary algorithms

The following auxiliary algorithms are called: *SUBROUTINE OPTRA* (*A, M, N, C, K, IC1, IC2, NC, AN1, AN2, NCP, D, ITRAN, LIVE, INDEX*) and *SUBROUTINE QTRAN* (*A, M, N, C, K, IC1, IC2, NC, AN1, AN2, NCP, D, ITRAN, INDEX*) which are included.

RELATED ALGORITHMS

A related algorithm is AS 113 (A transfer algorithm for non-hierarchical classification) given by Banfield and Bassill (1977). This algorithm uses swaps as well as transfers to try to overcome the problem of local optima; that is, for all pairs of points, a test is made whether exchanging the clusters to which the points belong will improve the criterion. It will be substantially more expensive than the present algorithm for large *M*.

The present algorithm is similar to Algorithm AS 58 (Euclidean cluster analysis) given by Sparks (1973). Both algorithms aim at finding a *K*-partition of the sample, with within-cluster sum of squares which cannot be reduced by moving points from one cluster to the other. However, the implementation of Algorithm AS 58 does not satisfy this condition. At the stage where each point is examined in turn to see if it should be reassigned to a different cluster, only the closest centre is used to check for possible reallocation of the given point; a cluster centre other than the closest one may have the smallest value of the quantity $\{n_l/(n_l+1)\}d_l^2$, where n_l is the number of points in cluster *l* and d_l is the distance from cluster *l* to the given point. Hence, in general, Algorithm AS 58 does not provide a locally optimal solution.

The two algorithms are tested on various generated data sets. The time consumed on the IBM 370/158 and the within-cluster sum of squares of the resulting *K*-partitions are given in Table 1. While comparing the entries of the table, note that AS 58 does not give locally optimal solutions and so should be expected to take less time. The *WSS* are different for the two algorithms because they arrive at different partitions of the sets of points. A saving of about 50 per cent in time occurs in *KMNS* due to using "live" sets and due to using a quick-transfer stage which reduces the number of optimal transfer iterations by a factor of 4. Thus, *KMNS* compared to AS 58 is locally optimal and takes less time, especially when the number of clusters is large.

TIME AND ACCURACY

The time is approximately equal to *CMNKI* where *I* is the number of iterations. For an IBM 370/158, $C = 2.1 \times 10^{-5}$ sec. However, different data structures require quite different numbers of iterations; and a careful selection of initial cluster centres will also lead to a considerable saving in time.

Storage requirement: $M(N+3) + K(N+7)$.

TABLE 1

		Time (sec)	WSS
1. $M = 1000, N = 10, K = 10$ (random spherical normal)	AS 58 KMNS	63.86 36.66	7056.71 7065.59
2. $M = 1000, N = 10, K = 10$ (two widely separated random normals)	AS 58 KMNS	43.49 19.11	7779.70 7822.01
3. $M = 1000, N = 10, K = 50$ (random spherical normal)	AS 58 KMNS	135.71 76.00	4543.82 4561.48
4. $M = 1000, N = 10, K = 50$ (two widely separated random normals)	AS 58 KMNS	95.51 57.96	5131.04 5096.23
5. $M = 50, N = 2, K = 8$ (two widely separated random normals)	AS 58 KMNS	0.17 0.18	21.03 21.03

Missing variate values cannot be handled by this algorithm.

The algorithm produces a clustering which is only locally optimal; the within-cluster sum of squares may not be decreased by transferring a point from one cluster to another, but different partitions may have the same or smaller within cluster sum of squares.

The number of iterations required to attain local optimality is usually less than 10.

ADDITIONAL COMMENTS

One way of obtaining the initial cluster centres is suggested here. The points are first ordered by their distances to the overall mean of the sample. Then, for cluster L ($L = 1, 2, \dots, K$), the $\{1 + (L-1) * [M/K]\}$ th point is chosen to be its initial cluster centre. In effect, some K sample points are chosen as the initial cluster centres. Using this initialization process, it is guaranteed that no cluster will be empty after the initial assignment in the subroutine. A quick initialization, which is dependent on the input order of the points, takes the first K points as the initial centres.

ACKNOWLEDGEMENTS

This research is supported by National Science Foundation Grant MCS75-08374.

REFERENCES

- BANFIELD, C. F. and BASSILL, L. C. (1977). Algorithm AS113. A transfer algorithm for non-hierarchical classification. *Appl. Statist.*, **26**, 206-210.
 HARTIGAN, J. A. (1975). *Clustering Algorithms*. New York: Wiley.
 SPARKS, D. N. (1973). Algorithm AS 58. Euclidean cluster analysis. *Appl. Statist.*, **22**, 126-130.

```

SUBROUTINE KMNS(A, M, N, C, K, IC1, IC2, NC, AN1, AN2, NCP,
* D, ITRAN, LIVE, ITER, WSS, IFAULT)
C
C      ALGORITHM AS 136 APPL. STATIST. (1979) VOL.28, NO.1
C
C      DIVIDE M POINTS IN N-DIMENSIONAL SPACE INTO K CLUSTERS
C      SO THAT THE WITHIN CLUSTER SUM OF SQUARES IS MINIMIZED.
C
C      DIMENSION A(M, N), IC1(M), IC2(M), D(M)
C      DIMENSION C(K, N), NC(K), AN1(K), AN2(K), NCP(K)
C      DIMENSION ITRAN(K), LIVE(K), WSS(K), DT(2)
C
C      DEFINE BIG TO BE A VERY LARGE POSITIVE NUMBER
C
DATA BIG /1.0E10/

```

```

      IFAULT = 3
      IF (K .LE. 1 .OR. K .GE. M) RETURN
C
C      FOR EACH POINT I, FIND ITS TWO CLOSEST CENTRES,
C      IC1(I) AND IC2(I). ASSIGN IT TO IC1(I).
C
      DO 50 I = 1, M
      IC1(I) = 1
      IC2(I) = 2
      DO 10 IL = 1, 2
      DT(IL) = 0.0
      DO 10 J = 1, N
      DA = A(I, J) - C(IL, J)
      DT(IL) = DT(IL) + DA * DA
10  CONTINUE
      IF (DT(1) .LE. DT(2)) GOTO 20
      IC1(I) = 2
      IC2(I) = 1
      TEMP = DT(1)
      DT(1) = DT(2)
      DT(2) = TEMP
20  DO 50 L = 3, K
      DB = 0.0
      DO 30 J = 1, N
      DC = A(I, J) - C(L, J)
      DB = DB + DC * DC
      IF (DB .GE. DT(2)) GOTO 50
30  CONTINUE
      IF (DB .LT. DT(1)) GOTO 40
      DT(2) = DB
      IC2(I) = L
      GOTO 50
40  DT(2) = DT(1)
      IC2(I) = IC1(I)
      DT(1) = DB
      IC1(I) = L
50  CONTINUE
C
C      UPDATE CLUSTER CENTRES TO BE THE AVERAGE
C      OF POINTS CONTAINED WITHIN THEM
C
      DO 70 L = 1, K
      NC(L) = 0
      DO 60 J = 1, N
      C(L, J) = 0.0
60  CONTINUE
70  DO 90 I = 1, M
      L = IC1(I)
      NC(L) = NC(L) + 1
      DO 80 J = 1, N
      C(L, J) = C(L, J) + A(I, J)
80  CONTINUE
90  CONTINUE
C
C      CHECK TO SEE IF THERE IS ANY EMPTY CLUSTER AT THIS STAGE
C
      IFAULT = 1
      DO 100 L = 1, K
      IF (NC(L) .EQ. 0) RETURN
100 CONTINUE
      IFAULT = 0
      DO 120 L = 1, K
      AA = NC(L)
      DO 110 J = 1, N
      C(L, J) = C(L, J) / AA
110 CONTINUE
C
C      INITIALIZE AN1, AN2, ITRAN AND NCP
C      AN1(L) IS EQUAL TO NC(L) / (NC(L) - 1)
C      AN2(L) IS EQUAL TO NC(L) / (NC(L) + 1)
C      ITRAN(L)=1 IF CLUSTER L IS UPDATED IN THE QUICK-TRANSFER STAGE
C      ITRAN(L)=0 OTHERWISE
C      IN THE OPTIMAL-TRANSFER STAGE, NCP(L) INDICATES THE STEP AT *
C      WHICH CLUSTER L IS LAST UPDATED

```

```

C      IN THE QUICK-TRANSFER STAGE, NCP(L) IS EQUAL TO THE STEP AT
C      WHICH CLUSTER L IS LAST UPDATED PLUS M
C
      AN2(L) = AA / (AA + 1.0)
      AN1(L) = BIG
      IF (AA .GT. 1.0) AN1(L) = AA / (AA - 1.0)
      ITRAN(L) = 1
      NCP(L) = -1
120  CONTINUE
      INDEX = 0
      DO 140 IJ = 1, ITER
C
C      IN THIS STAGE, THERE IS ONLY ONE PASS THROUGH THE DATA.
C      EACH POINT IS REALLOCATED, IF NECESSARY, TO THE CLUSTER
C      THAT WILL INDUCE THE MAXIMUM REDUCTION IN WITHIN-CLUSTER
C      SUM OF SQUARES
C
      CALL OPTRA(A, M, N, C, K, IC1, IC2, NC, AN1, AN2, NCP,
*      D, ITRAN, LIVE, INDEX)
C
C      STOP IF NO TRANSFER TOOK PLACE IN THE LAST M
C      OPTIMAL-TRANSFER STEPS
C
      IF (INDEX .EQ. M) GOTO 150
C
C      EACH POINT IS TESTED IN TURN TO SEE IF IT SHOULD BE
C      REALLOCATED TO THE CLUSTER WHICH IT IS MOST LIKELY TO
C      BE TRANSFERRED TO (IC2(I)) FROM ITS PRESENT CLUSTER (IC1(I)).
C      LOOP THROUGH THE DATA UNTIL NO FURTHER CHANGE IS TO TAKE PLACE
C
      CALL QTRAN(A, M, N, C, K, IC1, IC2, NC, AN1, AN2,
*      NCP, D, ITRAN, INDEX)
C
C      IF THERE ARE ONLY TWO CLUSTERS,
C      NO NEED TO RE-ENTER OPTIMAL-TRANSFER STAGE
C
      IF (K .EQ. 2) GOTO 150
C
C      NCP HAS TO BE SET TO 0 BEFORE ENTERING OPTRA
C
      DO 130 L = 1, K
130  NCP(L) = 0
140  CONTINUE
C
C      SINCE THE SPECIFIED NUMBER OF ITERATIONS IS EXCEEDED
C      IFAULT IS SET TO BE EQUAL TO 2.
C      THIS MAY INDICATE UNFORESEEN LOOPING
C
      IFAULT = 2
C
C      COMPUTE WITHIN CLUSTER SUM OF SQUARES FOR EACH CLUSTER
C
150  DO 160 L = 1, K
      WSS(L) = 0.0
      DO 160 J = 1, N
      C(L, J) = 0.0
160  CONTINUE
      DO 170 I = 1, M
      II = IC1(I)
      DO 170 J = 1, N
      C(II, J) = C(II, J) + A(I, J)
170  CONTINUE
      DO 180 J = 1, N
      DO 180 L = 1, K
180  C(L, J) = C(L, J) / FLOAT(NC(L))
      DO 190 I = 1, M
      II = IC1(I)
      DA = A(I, J) - C(II, J)
      WSS(II) = WSS(II) + DA * DA
190  CONTINUE
      RETURN
      END

```

APPLIED STATISTICS

```

SUBROUTINE OPTRA(A, M, N, C, K, IC1, IC2, NC, AN1,
* AN2, NCP, D, ITRAN, LIVE, INDEX)
C
C      ALGORITHM AS 136.1 APPL. STATIST. (1979) VOL.28, NO.1
C
C      THIS IS THE OPTIMAL-TRANSFER STAGE
C
C      EACH POINT IS REALLOCATED, IF NECESSARY, TO THE
C      CLUSTER THAT WILL INDUCE A MAXIMUM REDUCTION IN
C      THE WITHIN-CLUSTER SUM OF SQUARES
C
C      DIMENSION A(M, N), IC1(M), IC2(M), D(M)
C      DIMENSION C(K, N), NC(K), AN1(K), AN2(K), NCP(K)
C      DIMENSION ITRAN(K), LIVE(K)
C
C      DEFINE BIG TO BE A VERY LARGE POSITIVE NUMBER
C
C      DATA BIG /1.0E10/
C
C      IF CLUSTER L IS UPDATED IN THE LAST QUICK-TRANSFER STAGE,
C      IT BELONGS TO THE LIVE SET THROUGHOUT THIS STAGE.
C      OTHERWISE, AT EACH STEP, IT IS NOT IN THE LIVE SET IF IT
C      HAS NOT BEEN UPDATED IN THE LAST M OPTIMAL-TRANSFER STEPS
C
C      DO 10 L = 1, K
C      IF (ITRAN(L) .EQ. 1) LIVE(L) = M + 1
10 CONTINUE
C      DO 100 I = 1, M
C      INDEX = INDEX + 1
C      L1 = IC1(I)
C      L2 = IC2(I)
C      LL = L2
C
C      IF POINT I IS THE ONLY MEMBER OF CLUSTER L1, NO TRANSFER
C
C      IF (NC(L1) .EQ. 1) GOTO 90
C
C      IF L1 HAS NOT YET BEEN UPDATED IN THIS STAGE
C      NO NEED TO RECOMPUTE D(I)
C
C      IF (NCP(L1) .EQ. 0) GOTO 30
C      DE = 0.0
C      DO 20 J = 1, N
C      DF = A(I, J) - C(L1, J)
C      DE = DE + DF * DF
20 CONTINUE
C      D(I) = DE * AN1(L1)
C
C      FIND THE CLUSTER WITH MINIMUM R2
C
C      30 DA = 0.0
C      DO 40 J = 1, N
C      DB = A(I, J) - C(L2, J)
C      DA = DA + DB * DB
40 CONTINUE
C      R2 = DA * AN2(L2)
C      DO 60 L = 1, K
C
C      IF I IS GREATER THAN OR EQUAL TO LIVE(L1), THEN L1 IS
C      NOT IN THE LIVE SET. IF THIS IS TRUE, WE ONLY NEED TO
C      CONSIDER CLUSTERS THAT ARE IN THE LIVE SET FOR POSSIBLE
C      TRANSFER OF POINT I. OTHERWISE, WE NEED TO CONSIDER
C      ALL POSSIBLE CLUSTERS
C
C      IF (I .GE. LIVE(L1) .AND. I .GE. LIVE(L) .OR.
* L .EQ. L1 .OR. L .EQ. LL) GOTO 60
C      RR = R2 / AN2(L)
C      DC = 0.0
C      DO 50 J = 1, N
C      DD = A(I, J) - C(L, J)
C      DC = DC + DD * DD
C      IF (DC .GE. RR) GOTO 60

```



```

50 CONTINUE
   R2 = DC * AN2(L)
   L2 = L
60 CONTINUE
   IF (R2 .LT. D(I)) GOTO 70
C
C   IF NO TRANSFER IS NECESSARY, L2 IS THE NEW IC2(I)
C
   IC2(I) = L2
   GOTO 90
C
C   UPDATE CLUSTER CENTRES, LIVE, NCP, AN1 AND AN2
C   FOR CLUSTERS L1 AND L2, AND UPDATE IC1(I) AND IC2(I)
C
70 INDEX = 0
   LIVE(L1) = M + I
   LIVE(L2) = M + I
   NCP(L1) = I
   NCP(L2) = I
   AL1 = NC(L1)
   ALW = AL1 - 1.0
   AL2 = NC(L2)
   ALT = AL2 + 1.0
   DO 80 J = 1, N
   C(L1, J) = (C(L1, J) * AL1 - A(I, J)) / ALW
   C(L2, J) = (C(L2, J) * AL2 + A(I, J)) / ALT
80 CONTINUE
   NC(L1) = NC(L1) - 1
   NC(L2) = NC(L2) + 1
   AN2(L1) = ALW / AL1
   AN1(L1) = BIG
   IF (ALW .GT. 1.0) AN1(L1) = ALW / (ALW - 1.0)
   AN1(L2) = ALT / AL2
   AN2(L2) = ALT / (ALT + 1.0)
   IC1(I) = L2
   IC2(I) = L1
90 CONTINUE
   IF (INDEX .EQ. M) RETURN
100 CONTINUE
   DO 110 L = 1, K
C
C   ITRAN(L) IS SET TO ZERO BEFORE ENTERING QTRAN.
C   ALSO, LIVE(L) HAS TO BE DECREASED BY M BEFORE
C   RE-ENTERING QTRAN
C
   ITRAN(L) = 0
   LIVE(L) = LIVE(L) - M
110 CONTINUE
   RETURN
   END
C
SUBROUTINE QTRAN(A, M, N, C, K, IC1, IC2, NC, AN1,
* AN2, NCP, D, ITRAN, INDEX)
C
C   ALGORITHM AS 136.2 APPL. STATIST. (1979) VOL.28, NO.1
C
C   THIS IS THE QUICK TRANSFER STAGE.
C   IC1(I) IS THE CLUSTER WHICH POINT I BELONGS TO.
C   IC2(I) IS THE CLUSTER WHICH POINT I IS MOST
C   LIKELY TO BE TRANSFERRED TO.
C   FOR EACH POINT I, IC1(I) AND IC2(I) ARE SWITCHED, IF
C   NECESSARY, TO REDUCE WITHIN CLUSTER SUM OF SQUARES.
C   THE CLUSTER CENTRES ARE UPDATED AFTER EACH STEP
C
   DIMENSION A(M, N), IC1(M), IC2(M), D(M)
   DIMENSION C(K, N), NC(K), AN1(K), AN2(K), NCP(K), ITRAN(K)
C
C   DEFINE BIG TO BE A VERY LARGE POSITIVE NUMBER
C
   DATA BIG /1.0E10/

```

APPLIED STATISTICS

```

C      IN THE OPTIMAL-TRANSFER STAGE, NCP(L) INDICATES THE
C      STEP AT WHICH CLUSTER L IS LAST UPDATED
C      IN THE QUICK-TRANSFER STAGE, NCP(L) IS EQUAL TO THE
C      STEP AT WHICH CLUSTER L IS LAST UPDATED PLUS M
C
      ICOUN = 0
      ISTEP = 0
10  DO 70 I = 1, M
      ICOUN = ICOUN + 1
      ISTEP = ISTEP + 1
      L1 = IC1(I)
      L2 = IC2(I)
C
C      IF POINT I IS THE ONLY MEMBER OF CLUSTER L1, NO TRANSFER
C
      IF (NC(L1) .EQ. 1) GOTO 60
C
      IF (ISTEP .GT. NCP(L1)) GOTO 30
      DA = 0.0
      DO 20 J = 1, N
      DB = A(I, J) - C(L1, J)
      DA = DA + DB * DB
20  CONTINUE
      D(I) = DA * AN1(L1)
C
C      IF ISTEP IS GREATER THAN OR EQUAL TO BOTH NCP(L1) AND
C      NCP(L2) THERE WILL BE NO TRANSFER OF POINT I AT THIS STEP
C
30  IF (ISTEP .GE. NCP(L1) .AND. ISTEP .GE. NCP(L2)) GOTO 60
      R2 = D(I) / AN2(L2)
      DD = 0.0
      DO 40 J = 1, N
      DE = A(I, J) - C(L2, J)
      DD = DD + DE * DE
      IF (DD .GE. R2) GOTO 60
40  CONTINUE
C
C      UPDATE CLUSTER CENTRES, NCP, NC, ITRAN, AN1 AND AN2
C      FOR CLUSTERS L1 AND L2. ALSO, UPDATE IC1(I) AND IC2(I).
C      NOTE THAT IF ANY UPDATING OCCURS IN THIS STAGE,
C      INDEX IS SET BACK TO 0
C
      ICOUN = 0
      INDEX = 0
      ITRAN(L1) = 1
      ITRAN(L2) = 1
      NCP(L1) = ISTEP + M
      NCP(L2) = ISTEP + M
      AL1 = NC(L1)
      ALW = AL1 - 1.0
      AL2 = NC(L2)
      ALT = AL2 + 1.0
      DO 50 J = 1, N
      C(L1, J) = (C(L1, J) * AL1 - A(I, J)) / ALW
      C(L2, J) = (C(L2, J) * AL2 + A(I, J)) / ALT
50  CONTINUE
      NC(L1) = NC(L1) - 1
      NC(L2) = NC(L2) + 1
      AN2(L1) = ALW / AL1
      AN1(L1) = BIG
      IF (ALW .GT. 1.0) AN1(L1) = ALW / (ALW - 1.0)
      AN1(L2) = ALT / AL2
      AN2(L2) = ALT / (ALT + 1.0)
      IC1(I) = L2
      IC2(I) = L1
C
C      IF NO REALLOCATION TOOK PLACE IN THE LAST M STEPS, RETURN
C
60  IF (ICOUN .EQ. M) RETURN
70  CONTINUE
      GOTO 10
      END

```