



User Guide

Predicting charge and kinetic energy densities
from crystal geometry

Leandro Seixas

Version 26.6.4

Overview

Poraquê predicts the electronic structure of a crystal from its geometry alone. Given a **POSCAR**, an **INCAR** and a **POTCAR**, it produces the valence charge density and the kinetic energy density — with no wavefunctions and no self-consistency cycle.

It does this by chaining two learned operators:

$$\{\text{POSCAR}, \text{INCAR}, \text{POTCAR}\} \xrightarrow{\text{analytic}} \text{EXTCAR} \xrightarrow{\text{Model 1}} \text{CHGCAR} \xrightarrow{\text{Model 2}} \text{TAUCAR}$$

The first step is closed-form; only the two field-to-field maps are learned. Every output is written in **CHGCAR** format and opens directly in VESTA.

Who this guide is for

This is the practical guide: how to lay out data, train, predict, and read the results. It assumes you can run a plane-wave DFT calculation and want to use Poraquê as a tool.

For the physics and the architecture — why a Fourier neural operator, what the models correspond to in density-functional theory, how the external potential is reconstructed from the pseudopotential tables — see the companion *Technical Guide* in `latex/technical_guide/`.

What you need

Requirement	Note
Python 3.11 or newer	see Chapter 1
A set of DFT calculations	CHGCAR and TAUCAR per structure
An accelerator (optional)	CUDA or Apple Metal; CPU works
<code>latexmk</code> (optional)	only for the automatic PDF reports

Caveat

Poraquê learns from the data you give it. The published results were obtained on twelve gold supercells, and they measure interpolation between geometries of one element — plus, weakly, extrapolation across cell size, where the error roughly doubles. Nothing in this guide should be read as evidence that a model trained on one chemistry transfers to another — validate on your own held-out structures before trusting a prediction.

Contents

Overview	1
1 Installation	4
1.1 Console commands	4
1.2 Python version	4
1.3 Checking the installation	5
1.4 Optional components	5
2 Preparing data	6
2.1 Directory layout	6
2.2 Grids may differ between materials	6
2.3 Checking your data	6
3 Training	8
3.1 The short version	8
3.2 One model, all structures	8
3.3 Measuring generalisation	9
3.4 Reading the output	9
3.5 Reference numbers	9
3.6 Options worth knowing	10
4 Predicting a new structure	11
4.1 Choosing the grid	11
4.2 Matching a VASP grid	11
4.3 Comparing against a reference	12
4.4 Restarting VASP from a predicted density	13
4.5 Sanity checks the script performs	14
4.6 Visualising	14
5 Energies and the ASE calculator	15
5.1 The energy expression	15
5.2 Choosing the exchange-correlation functional	16
5.3 Computing energies from files	16
5.4 The ASE calculator	17
5.5 What the number is not	19
6 Fine-tuning	20
6.1 What comes from the checkpoint	20
6.2 Freezing the lifting path	20
6.3 Configuration	21
6.4 Output, and the .pfno format	21
7 Symbolic distillation	23
7.1 What it can and cannot find	23

7.2	The physical variables	23
7.3	Operator constraints	25
7.4	Parity plot for the distilled formula	25
7.5	Regularization in vacuum	25
7.6	Configuration	25
7.7	Output	26
7.8	Physical asymptotic compliance	26
8	Configuration reference	28
8.1	How a value is resolved	28
8.2	Top level	28
8.3	<code>data</code> — where the fields come from	29
8.4	<code>model</code> — the operator's shape	30
8.5	<code>training</code> — how it is fitted	32
8.6	<code>output</code> — what is written	34
8.7	<code>symbolic</code> — distilling a formula	35
8.8	Worked examples	35
9	Troubleshooting	37
9.1	The run stops immediately	37
9.2	The results look wrong	37
9.3	Grids and shapes	37
9.4	Devices	38
9.5	Reports	38

CHAPTER 1

Installation

```
git clone https://github.com/seixas-research/poraque.git
cd poraque
pip install -e .
```

This installs NumPy, SciPy, ASE, Matplotlib, PyYAML and PyTorch.

1.1 Console commands

Installing also registers three commands, which run from *any* directory once the environment is active — no path to a script, no `cd` into the repository:

Command	Does
<code>poraque-train</code>	trains the operators
<code>poraque-inference</code>	predicts a new structure
<code>poraque-committee</code>	ranks structures by ensemble disagreement

Each is the `main()` of the script of the same name, with the hyphen written as an underscore: `python scripts/poraque_train.py` is equivalent to `poraque-train` and needs nothing installed. Both forms take identical arguments and behave identically.

Note

Relative paths inside a configuration file (`data/vasp`, `models/`) are resolved against the **working directory**, not the installation. Run these commands from the project root, or give absolute paths.

If a command is not found after an upgrade, re-run `pip install -e .`: entry points are registered when the package is installed, not when it is imported.

1.2 Python version

Note

Poraquê requires **Python 3.11 or newer**. Every module is verified against the 3.11 grammar. There is deliberately no upper bound, so newer interpreters are supported.

1.3 Checking the installation

```
pytest
python -c "from poraque.ml.device import available_devices;
↪ print(available_devices())"
```

The device list is ordered by preference, so the first entry is what `device: auto` will select — `cuda`, then `mps`, then `cpu`.

1.4 Optional components

Component	Needed for	Install
CUDA build of PyTorch	NVIDIA GPUs	https://pytorch.org
pdf $\text{\LaTeX}$ / $\text{\LaTeX}$ mk	automatic PDF reports	TeX Live or MacTeX

Apple Silicon needs nothing extra: the Metal backend ships with the standard PyTorch wheel and is selected automatically.

Preparing data

2.1 Directory layout

One directory per material:

```
data/vasp/
  struct_000/  POSCAR  INCAR  POTCAR  CHGCAR  TAUCAR
  struct_001/  POSCAR  INCAR  POTCAR  CHGCAR  TAUCAR
  ...
```

The prefix is configurable (`data.pattern`); anything matching it and containing the required files is picked up.

Implementation

Any standard VASP output works. Poraquê computes the external ionic potential natively from POSCAR, INCAR and POTCAR using the tabulated pseudopotential, matching a reference potential to a relative 5×10^{-5} . Only CHGCAR and TAUCAR are needed as targets.

2.2 Grids may differ between materials

They usually do: ENCUT and the cell shape fix NGX_F, NGY_F, NGZ_F, so two structures of the same compound can land on different meshes. This is handled — batches are grouped by grid shape and one model serves them all.

Fields are reduced to a common working resolution (`data.resolution`, the longest axis) by Fourier truncation, which is the exact band-limited projection for a plane-wave field: periodicity and the electron count survive to machine precision.

2.3 Checking your data

The sharpest check on a CHGCAR is its integral, which must come back as the exact electron count $\sum_a Z_a^{\text{val}}$:

```
from poraque.fields import ChargeDensity, FieldGrid

path = "data/vasp/struct_000/CHGCAR"
rho = ChargeDensity.read(path, grid=FieldGrid.from_file(path))
print(rho.integrate()) # 297.0 for 27 Au atoms at ZVAL = 11
```

A result that misses the integer points at a truncated or misread file long before any model is trained.

`poraque-train` does not repeat this check, but it does stop with an error on a missing `CHGCAR` or `TAUCAR`, and it reports how many points a field drives negative when it is band-limited to `data.resolution` — Gibbs ringing around the core peaks, which is an artefact of the truncation rather than a fault in the data.

CHAPTER 3

Training

3.1 The short version

```
poraque-train --write-config configs/train_config.yaml
poraque-train --config configs/train_config.yaml
```

This trains **one** ext2chg model and **one** chg2tau model on the combined data of every structure, and writes:

Path	Contents
models/poraque_models.pfno	both trained operators, in one file
logs/*.log, logs/*.json	metrics and full history
logs/*_config.yaml	the resolved configuration
results/plots/	loss curves, cross-sections, parity plots
reports/*.pdf	a typeset report per model

3.2 One model, all structures

A single set of weights is fitted across every training structure at once, and batches mix materials — never one model per material.

Note

There is **one** training protocol and **one** variation on it. By default a fifth of the structures (`valid_fraction`) is held back for validation, so the printed score is genuinely held out and `early_stopping` has something to watch. Nothing else needs selecting.

Caveat

Set `valid_fraction: 0` and nothing is held out, so the metrics become a **training fit**: they show the model can represent the data, not how it will do on a new material. On the reference data the training fit is about $4\times$ better than the cross-validated score, which is the size of the mistake if the two are confused.

That setting is still the right one for the artefact you ship, since it uses all the data — just quote a cross-validated number alongside it.

3.3 Measuring generalisation

Splitting is always at the *structure* level.

3.3.1 The default split

```
poraque-train --config configs/train_config.yaml \
  --valid-fraction 0.2
```

Structures are shuffled with `seed` and that share is kept back.

3.3.2 K-fold cross-validation

This is the only variation on the protocol; `valid_fraction` is ignored, since the folds define the splits.

```
poraque-train --config configs/train_config.yaml \
  --kfold --k-folds 5
```

Each fold trains a fresh model on $K - 1$ groups and scores it on the held-out group. A consolidated PDF reports the mean and standard deviation of each metric across folds.

Implementation

`k_folds` is capped at the number of structures; setting it equal to that count is leave-one-out. Whole materials are held out — never a subset of voxels from a material that also appears in training, which would score the model on data it had effectively already seen.

3.4 Reading the output

Metric	Read it as
relative L^2	fractional error; 0.03 means 3 %
R^2	1 is perfect; <i>negative</i> means worse than the mean
MAE, RMSE	absolute error, in the field's own units
integral error	how well the electron count or T_s is reproduced

For `chg2tau` the log also prints the classical orbital-free functionals (Thomas–Fermi, von Weizsäcker) evaluated on the same input. Beating those is the bar — a learned functional that does not is not adding anything.

3.5 Reference numbers

Twelve gold supercells — ten 27-atom and two 32-atom, four grid shapes — at 32^3 working resolution, 200 epochs:

Model	5-fold CV	all structures (training fit)
<code>ext2chg</code>	0.0231 ± 0.0127	0.0059
<code>chg2tau</code>	0.0469 ± 0.0273	0.0128

Quote the cross-validated column. The gap to the training fit is the memorisation margin — roughly four-fold here.

Caveat

The cross-validated spread is dominated by *cell size*, not by geometry. Split by supercell:

Subset	ext2chg	chg2tau
27-atom (10 structures)	0.0189 ± 0.0047	0.0379 ± 0.0077
32-atom (2 structures)	0.0441 ± 0.0180	0.0920 ± 0.0415

A held-out 32-atom cell is about $2.4\times$ harder. With only two examples of that size, holding one out leaves a single sibling, so the operator is extrapolating to a grid shape it has barely seen. Expect the same whenever a new cell size enters the dataset — and read an aggregate that mixes cell sizes with that in mind.

3.6 Options worth knowing

-pauli-head For `chg2tau`, predicts $\tau = \tau_{vW}[\rho] + s \text{softplus}(f)$ so the exact bound $\tau \geq \tau_{vW}$ holds by construction. Improves accuracy and trains slightly faster; recommended.

-gaussian-blur Smooths the external potential. Measured to make no meaningful difference at 32^3 and to remove information near the ionic cores; leave it off unless working at higher resolution.

-device `auto`, `cuda`, `mps` or `cpu`. An unavailable backend warns and falls back rather than failing.

-resolution Working grid. Higher is more faithful and much slower; 32 is a reasonable starting point.

CHAPTER 4

Predicting a new structure

```
poraque-inference new_structure/ \  
  --output predictions/new_structure
```

The directory needs only POSCAR, INCAR and POTCAR. The script computes the external potential, predicts the density, then the kinetic energy density, and writes all three in CHGCAR format.

4.1 Choosing the grid

Resolved in this order, first hit wins:

1. `-grid NX NY NZ` — explicit;
2. `-like FILE` — adopt an existing volumetric file’s grid, which is what you want when comparing against a reference calculation;
3. `-resolution N` — longest axis, preserving the aspect ratio;
4. otherwise `-encut` (default **200 eV**) through the usual ENCUT/PREC rule.

The default cutoff is Poraquê’s own, not the one the reference calculation happened to use: a genuinely new structure has no prior calculation to inherit from, and the same geometry must give the same grid either way. When the two differ the log says so.

Implementation

200 eV at `PREC=Normal` lands on 32^3 for the 27-atom reference cells and 28^3 for the 32-atom ones, against a training `resolution` of 32 — so the operator is interpolating rather than extrapolating. Raising the cutoff, or switching to the `Accurate` rule, gives a finer mesh than anything the models have seen.

4.2 Matching a VASP grid

VASP’s `PREC` tag sets the multiplier between the wavefunction cutoff and the density FFT grid: `Normal` uses the cheaper $3/2$ rule, while `Accurate` and `High` use a factor of 2 so that the density grid is wrap-around free. Two flags expose it.

```
# the Accurate rule at the default cutoff:  $42^3$  instead of  $32^3$   
poraque-inference struct/ --prec-accurate
```

```
# take ENCUT and PREC from a real INCAR: 450 eV, Accurate -> 64^3
poraque-inference struct/ --from-incar struct/INCAR
```

Caveat

-from-incar takes precedence. When it is given, **-encut** and **-prec-accurate** are ignored entirely, and anything overridden is named in the log. A run described by an input file should reproduce that file's grid; a flag quietly modifying it would make the two disagree while appearing to agree.

4.2.1 -to-vasp: the grid VASP itself would build

```
poraque-inference struct/ --to-vasp --from-incar struct/INCAR --add-paw
```

The sizing above is how a plane-wave code *should* choose a grid. It is not what VASP does, and for a restart that difference matters: the CHGCAR declares its own NGXF NGYF NGZF, and ICHARG=1 wants those to be the grid the run itself would build.

VASP derives the density grid in **two stages** (main.F):

```
GRID%NGPTAR(1) = XCUTOFF*WFACT + 0.5 ! WFACT = 4 for high/accurate/single
CALL FFTCHK(GRID%NGPTAR) ! rounded here
GRIDC%NGPTAR(1) = GRID%NGPTAR(1)*2 ! then doubled
CALL FFTCHK(GRIDC%NGPTAR)
```

Caveat

The order is the algorithm. For a 27-atom gold cell at 450eV the coarse grid is $4 \times 15.25 = 61 \rightarrow 64$, so the density grid is 128; computing the density size directly and rounding once gives 64 — a factor of two, and a file VASP would reject.

-to-vasp reproduces this exactly. Validated against every reference calculation in the project: **17 of 17**, including the anisotropic (120, 128, 128) and (108, 108, 112) cases.

Implementation

Sizes are rounded by VASP's FFTCH1 rule — 7-smooth *and* even, so $61 \rightarrow 64$ and $109 \rightarrow 112$.

Grid selection overall, first match winning: **-grid**, then **-like**, then **-to-vasp**, then **-resolution**, then the cutoff path (**-from-incar**, otherwise **-encut** with **-prec-accurate**).

Caveat

A Fourier neural operator is resolution-*flexible*, not resolution-*indifferent*. Evaluating far from the grid density a model was trained on is extrapolation, and no metric printed here can detect it. The script warns when the requested grid departs markedly from the training resolution; pass **-resolution 32** to evaluate exactly where the models were fitted.

4.3 Comparing against a reference

```
poraque-inference run/ \
  --like run/CHGCAR --compare --plot-dir results/plots/check
```

`-compare` scores the prediction against any reference files present, bringing them onto the prediction grid by spectral truncation. `-plot-dir` adds cross-section and parity figures.

4.4 Restarting VASP from a predicted density

```
poraque-inference struct/ --like struct/CHGCAR --add-paw
```

A CHGCAR that VASP will accept for ICHARG=1 is not just a density on a grid. After the grid block it carries one *augmentation occupancies* record per atom: the one-centre PAW terms, the part of the density inside the augmentation spheres.

Caveat

Those terms are **not representable on the plane-wave grid at all**, so no grid-based model predicts them — ours included. `-add-paw` does not generate them. It copies them verbatim from a reference calculation in the same directory, and the resulting file is a hybrid: interstitial density from the model, core-region occupancies from the reference.

This has a consequence worth stating plainly. `-add-paw` requires a converged CHGCAR for the geometry, and if you already have one you do not need a prediction to restart from. The flag earns its place when the reference is a *near-neighbour* — a slightly displaced geometry, a nearby volume — where the on-site occupancies are a good approximation and the interstitial density is what you want the model to supply.

4.4.1 Without a reference calculation

The model carries a fallback. During training the augmentation records are read off the training CHGCARs, averaged per chemical element, and stored in the `.pfno` bundle:

```
PAW reference: Au 138 values, averaged over 494 atoms in 17 structure(s)
PAW reference -> stored in the bundle (Au)
```

At inference that table is used whenever the directory has no reference of its own, so a genuinely new structure can still be written as an ICHARG=1 restart.

Caveat

The averaged table reproduces the true occupancies to about **9 % RMS** on the reference dataset, and the dominant component varies by a factor of two across sites. It is a defensible starting guess, not a converged on-site density — and it covers only the elements the model was trained on. A structure containing anything else gets *no* records rather than a partial block.

A real calculation beside the structure always wins over the table: its records are *that* system's, where the table is an average over others.

4.4.2 Checks

Three checks run before anything is appended, and each refuses rather than writing a file VASP would reject:

- **No reference.** If nothing in the directory carries augmentation records, the run stops and says why.

- **Wrong atom count.** If the record count does not match the structure, the reference is a different system and its occupancies do not correspond to these positions.
- **Grid mismatch.** The records are on-site and grid-independent, so this is a warning rather than an error — but VASP reads the density on the grid the file declares, and `ICHARG=1` wants that to be the run's own `NGXF`. Use `-like` to match it.

Note

The predicted density integrates to the electron count only approximately (about 1 % out on the current models). VASP renormalises the charge it reads, so this is not fatal for a restart, but a density that far from normalised is a poor starting guess and may cost more SCF steps than it saves.

4.5 Sanity checks the script performs

- the predicted electron count against $\sum_a Z_a^{\text{val}}$;
- the number of negative density voxels, if any;
- the bound $\tau \geq \tau_{\text{vW}}[\rho]$ on the chained output, with the minimum margin.

A large electron-count error or a violated bound means the prediction should not be trusted, whatever the field looks like.

4.6 Visualising

All outputs are `CHGCAR`-format and open directly in VESTA. Use `-write-chg` for an additional coarse-formatted `CHG`.

Energies and the ASE calculator

Once ρ and τ have been predicted, the `poraque.physics` module turns them into energies, and the `Poraque` calculator wraps the whole chain behind the ASE calculator protocol.

Caveat

Read Section 5.5 before comparing any of these numbers to a DFT result. They are **pseudo-valence** energies, and on the current models the error on energy *differences* is larger than the differences themselves.

5.1 The energy expression

$$E = \underbrace{\int \tau d^3r}_{T_s} + \underbrace{\int \rho V_{\text{ext}} d^3r + E_{\alpha Z}}_{E_{\text{ext}}} + \underbrace{\frac{1}{2} \int \rho v_{\text{H}} d^3r}_{E_{\text{H}}} + E_{\text{xc}}[\rho] + E_{\text{Ewald}}$$

Term	How it is obtained
T_s	integral of the predicted TAUCAR
E_{ext}	$\int \rho V_{\text{ext}}$, with $\mathbf{G} = 0$ excluded
$E_{\alpha Z}$	the finite $\mathbf{G} = 0$ remainder, from the POTCAR PSCORE
E_{H}	Poisson solve in reciprocal space, $v_{\text{H}}(\mathbf{G}=0) = 0$
E_{xc}	PBE by default; LDA available (Section 5.2)
E_{Ewald}	Ewald sum over the pseudo-ions in a neutralizing background

5.1.1 The $\mathbf{G} = 0$ bookkeeping

Each of the three electrostatic terms diverges at $\mathbf{G} = 0$, and the divergences cancel in a neutral cell. Poraquê follows the standard plane-wave treatment: drop $\mathbf{G} = 0$ from all three, then add back the finite remainder of the electron-ion term,

$$E_{\alpha Z} = \frac{N_{\text{elec}}}{\Omega} \sum_s N_s \text{PSCORE}_s,$$

which is VASP's `alpha Z`. It is of order eV *per atom*, so it is read from the POTCAR tables when they are available and reported as `None` when they are not — never silently assumed to be zero.

Note

`components.missing` lists any term that was skipped, and printing the components emits `incomplete:` when that list is non-empty. A total that is missing a term says so rather

than looking complete.

5.2 Choosing the exchange-correlation functional

functional	Exchange	Correlation
"pbe" (default)	PBE	PBE
"lda"	Dirac	PW92
"pbe-x"	PBE	—
"lda-x" / "x-only"	Dirac	—
"none"	—	—

PBE is the default because it matches the reference data: the calculations Poraquê ingests use PAW_PBE pseudopotentials with LEXCH = PE, so ρ and τ are PBE quantities. Evaluating an LDA E_{xc} on a PBE density is neither a PBE energy nor an LDA one. On the reference Au supercells the two differ by -0.92 eV/atom (0.65% of E_{xc}), so the choice is not cosmetic.

Both are validated against the limit that defines them: on a uniform density PBE reduces to LDA *bit-exactly*, since $F_x(0) = 1$ and $H \rightarrow 0$. Dirac exchange reproduces $-0.458165293/r_s$ Ha per electron exactly, and PW92 matches the published table to 10^{-6} .

Caveat

PBE is semilocal and needs $\nabla\rho$. On a *predicted* field that gradient carries the network's noise and the enhancement factor amplifies it; on a band-limited grid it also aliases wherever the density has sharp core peaks. The extra physics is only worth having once the density is good enough for its gradient to mean something — which, on the current models, it is not (Section 5.5).

Set it wherever the energy is computed:

```
EnergyCalculator.from_potential(vext, functional="lda")
Poraque("ext2chg.pfno", "chg2tau.pfno", potcar_dir=..., functional="lda")
```

```
poraque-inference run/ \
--functional lda
```

5.3 Computing energies from files

```
from poraque.fields import ChargeDensity, ExternalPotential, \
    FieldGrid, KineticEnergyDensity
from poraque.fields.vasp.potcar import Potcar
from poraque.physics import EnergyCalculator

grid = FieldGrid.from_file("run/CHGCAR")
rho = ChargeDensity.read("run/CHGCAR", grid=grid)
tau = KineticEnergyDensity.read("run/TAUCAR", grid=grid)
vext = ExternalPotential.from_calculation("run", grid=grid)
```

```
potcar = Potcar.from_file("run/POTCAR", parse_tables=True)
calc = EnergyCalculator.from_potential(
    vext, pscore={e.element: e.pscore for e in potcar})

print(calc.compute(rho, tau, vext))
```

kinetic	T_s	6207.068300 eV
external	E_ext	-12634.744762 eV
alpha Z		1752.512988 eV
Hartree	E_H	3230.363304 eV
xc (pbe)		-3845.824650 eV
Ewald		-25949.345827 eV

potential		-37447.038948 eV
TOTAL		-31239.970647 eV
electrons		297.000001

Implementation

electrons is the cheapest available diagnostic. It should equal the total ZVAL — 297 for the 27 Au atoms above — to a few parts in 10^4 . A predicted density that has drifted off it invalidates every electrostatic term, since all of them are linear or quadratic in ρ .

Plain arrays are accepted as readily as field objects, so a prediction can be scored without being written to disk first.

5.4 The ASE calculator

Poraquê behaves like MACE or NequIP at the interface:

```
from ase.build import bulk
from poraque.calculator import Poraquê

atoms = bulk("Au", "fcc", a=4.08, cubic=True)
atoms.calc = Poraquê("models/poraque_models.pfno", potcar="POTCAR")

energy = atoms.get_potential_energy()
print(atoms.calc.components)      # the full decomposition
rho = atoms.calc.fields["density"] # the predicted CHGCAR
```

Each call runs **Atoms** $\rightarrow$ **Structure** $\rightarrow$ **FieldGrid** $\rightarrow V_{\text{ext}} \rightarrow \rho \rightarrow \tau \rightarrow E$. The three fields stay on the calculator afterwards, so a prediction can be written out with `rho.write("CHGCAR")` and opened in VESTA.

Argument	Meaning
<code>ext2chg, chg2tau</code>	Checkpoint paths, or loaded <code>FieldOperators</code> .
<code>potcar</code>	A single POTCAR covering the species present.
<code>potcar_dir</code>	A POTCAR <i>library</i> , searched per composition.
<code>charges</code>	{ <code>element: Z_val</code> }, used only without a POTCAR.
<code>resolution</code>	Longest grid axis; defaults to the checkpoint's training resolution.
<code>functional</code>	Exchange-correlation approximation, default "pbe".
<code>device</code>	auto, cuda, mps or cpu.

5.4.1 Supplying pseudopotentials

`potcar` is right when the composition is fixed. For a calculator that must serve **arbitrary** structures, point `potcar_dir` at a POTCAR library: the entries for whatever elements an `Atoms` contains are assembled on demand and cached per composition.

```
atoms.calc = Poraque("models/poraque_models.pfno",
                    potcar_dir="/opt/vasp/otpaw_PBE")
```

Recognised layouts, in preference order — each accepting a `.gz` or `.Z` suffix:

1. `<dir>/Au/POTCAR` — what VASP ships;
2. `<dir>/Au_pv/POTCAR` — a variant, used only if it is the *only* candidate, with a warning;
3. `<dir>/POTCAR.Au` or `<dir>/Au.POTCAR` — flat.

Note

If several variants match — `Fe_pv` and `Fe_sv`, say — the lookup **raises** rather than picking one. They differ in `ZVAL` and therefore in every energy, so the choice is the user's; name the one you want with an explicit `potcar`.

Caveat

With no POTCAR at all the external potential falls back to the *Gaussian* pseudo-ion model, which differs from the tabulated potential by a relative L^2 of about 0.13 — against 2×10^{-5} for the tabulated one. The operators were trained on tabulated potentials, so the Gaussian model feeds them an input outside their training distribution. The calculator warns once and proceeds; treat the result as a smoke test, not a prediction.

5.4.2 Forces and stress

`get_forces()` and `get_stress()` raise `NotImplementedError`, so **geometry optimisation and molecular dynamics are unavailable**. Single points, energy-volume scans and ranking of fixed geometries work.

Two independent pieces are missing: the derivative of V_{ext} with respect to the ionic positions (analytic, a Hellmann–Feynman term), and back-propagation of $\partial E / \partial \rho$ through both operators. A finite-difference stand-in is no shortcut here — on a fixed grid it would be dominated by the grid's own discontinuity as atoms cross voxel boundaries.

`implemented_properties` is `["energy", "free_energy"]`. The two are the same number: no

electronic smearing enters this pipeline, and ASE optimizers request `free_energy` by name.

5.5 What the number is not

It is not a DFT total energy. CHGCAR holds the valence *pseudo* density and TAUCAR the valence pseudo kinetic energy density, so the PAW one-centre terms are absent entirely. For the 27-atom Au cell above the result is ≈ -31215 eV against a VASP TOTEN of order -100 eV. Nothing in this module can close that gap.

Energy differences are not usable yet either. Measured on the twelve reference Au supercells, with the models evaluated on their own training data:

Quantity	Value
True spread of E across the twelve structures	0.27 eV/atom
MAE of the predicted differences	0.29 eV/atom
Ratio error / signal	1.06
Correlation of predicted vs. true differences	$r \approx -0.1$

The error is **comparable to the signal** and the correlation is consistent with zero, so the predicted ordering of structures carries no information. That is an improvement on the $3\times$ ratio measured on the earlier, smaller dataset, but the verdict is unchanged.

The cause is cancellation, not a bug: the total is a sum of terms of order 10^4 eV whose physically relevant variation is a fraction of an eV per atom, a relative $\sim 10^{-4}$. A field-level relative L^2 of 2×10^{-2} cannot survive that. Reaching 0.01 eV/atom would need densities accurate to roughly 10^{-5} relative, three orders of magnitude beyond the current models.

Note

The grid is *not* the limiting factor. On reference fields the total energy changes by 0.08 eV out of 31215 (0.003 eV/atom) between `resolution: 32` and the native 128^3 mesh, and T_s and the electron count are preserved exactly — spectral resampling is an exact band-limited projection.

Rescaling the predicted density to the known electron count does **not** help: E_{ext} is linear in ρ , so correcting a 0.3% electron-count error shifts a -12690 eV term by about 38 eV. It was measured and rejected, not assumed.

Fine-tuning

A model fitted across a broad dataset is a good *starting point* for a specific material family, and a poor substitute for one. Fine-tuning continues that fit on the smaller set at a much lower learning rate: what the base model learned about the general map is kept, and only the specialisation is learned.

```
# 1. the base model, trained across everything you have
poraque-train --config configs/train_config.yaml

# 2. specialise it on one family
poraque-train --config configs/train_config.yaml \
  --fine-tune --pretrained models/poraque_models.pfno \
  --root data/oxides --checkpoint-dir models/oxides
```

6.1 What comes from the checkpoint

Two things are taken from the base model rather than from this run's configuration, and both matter.

The architecture, inferred from the stored tensors. A `width` or `modes` left over in the config that disagreed with the weights could only load mismatched tensors, so the tensors are the authority — the `model` section is ignored for the *shape* of a fine-tuned network.

The normalizations. The datasets are re-pointed at the checkpoint's transforms, discarding the ones just fitted to the new data.

Caveat

Refitting the normalizations would rescale the network's inputs out from under weights trained against the old scale, and the model would spend the fine-tune relearning the scale instead of the chemistry. It also means the new data must fall in a comparable range: fine-tuning on a family whose densities are an order of magnitude away is transfer learning in name only.

6.2 Freezing the lifting path

The lifting map embeds the input field into the network's channel space before any operator acts on it. It is the most general part of the model, so it is the part least in need of specialising — and freezing it removes parameters a small dataset could otherwise overfit. The cell encoder is frozen with it: that embeds the lattice, a property of the input rather than of the mapping.

The **projection head stays trainable**. It decodes to physical units, which is precisely what differs between material families.

```
fine_tuning:
  freeze_lifting_layers: true
```

The run reports what was actually frozen, so it never has to be inferred:

```
fine-tuning from : models/poraque_models.pfno
architecture    : inferred from the checkpoint (4,202,001 parameters)
transforms      : taken from the checkpoint
frozen          : lifting path, 1,392 parameters;
                  4,200,609 remain trainable
learning rate   : 1e-05 (fine-tuning; base training uses 0.002)
```

Implementation

Frozen parameters are kept out of the optimiser entirely, not merely denied a gradient. AdamW's decoupled weight decay applies without one, so a frozen weight left in the optimiser would shrink towards zero every step — quietly undoing the pre-training the freeze was meant to preserve.

6.3 Configuration

Key	Default	Meaning
<code>enable</code>	<code>false</code>	Start from <code>pretrained_checkpoint</code> instead of a fresh initialisation.
<code>pretrained_checkpoint</code>	<code>models/poraque_models.pfno</code>	Base bundle to adapt.
<code>learning_rate</code>	<code>1e-05</code>	Replaces <code>training.learning_rate</code> for this run.
<code>freeze_lifting_layers</code>	<code>false</code>	Hold the input lifting path fixed.

The fine-tuning learning rate is much smaller by design: the base rate would walk the weights away from the solution being adapted before a small dataset could constrain them.

6.4 Output, and the .pfno format

Poraquê writes its models as `.pfno` — *Poraquê Fourier Neural Operator*:

File	Contents
<code>models/poraque_models.pfno</code>	The universal model: both operators in one file.
<code>models/poraque_finetuned.pfno</code>	A fine-tune, specialised to one family.

The container is a `torch.save` payload keyed by task, with a format tag and metadata; the extension is a label, not a different serialisation. Nothing inspects it when loading, so a bundle under any name loads fine.

A fine-tune is **never** written over the base model. The two coexist in the same directory, and a run that would genuinely overwrite its own base is refused — before training starts, not after.

The PDF report leads its Configuration section with the fine-tuning facts and carries a caveat at the top, so a reader cannot mistake a specialised model's scores for a general one's. The bundle metadata records `fine_tuned_from`, the learning rate and whether the lifting layers were frozen, so a checkpoint can always be traced back to its parent.

Note

Models written before this rename carry `.pth`. If the `.pfno` file is absent and a `.pth` of the same stem is present, it is used and the substitution is announced — an existing trained model should not become invisible because a default filename changed. Rename it to silence the notice.

Symbolic distillation

A Fourier Neural Operator reproduces $\rho \mapsto \tau$ to a few percent and explains nothing. Symbolic distillation searches short algebraic expressions for one that reproduces the same mapping — trading accuracy for a formula you can read, publish, and check against known physics.

Note

Off by default, and an optional install. PySR carries a **Julia** toolchain, which it fetches the first time a search runs, so it is not pulled in by a plain installation.

```
pip install -e "[symbolic]"
poraque-train --config configs/train_config.yaml --task chg2tau --symbolic
```

Without the extra, a run with distillation enabled reports the missing dependency and keeps its trained model rather than failing.

7.1 What it can and cannot find

The features are evaluated *at a point*, so the search space is exactly the semi-local functionals. Whatever the operator learned that is **non-local** cannot be expressed in that space at all, and appears as irreducible residual.

That makes a poor fit informative rather than disappointing: it puts a number on how much of the learned map is not semi-local. A near-perfect fit would say the operator found nothing a GGA-level functional could not have.

Note

Only `chg2tau` is attempted. `ext2chg` is the Hohenberg–Kohn map, whose whole content is non-local — a semi-local expression for it would be meaningless rather than merely inaccurate.

7.2 The physical variables

Raw ρ is not enough to build a robust functional. The engine receives the density together with its **dimensionless reduced derivatives**, which is the form a semi-local kinetic functional is actually written in:

$$k_F = (3\pi^2\rho)^{1/3}, \quad p = \frac{|\nabla\rho|}{2k_F\rho}, \quad q = \frac{\nabla^2\rho}{4k_F^2\rho}. \quad (7.1)$$

Symbol	In the equation	Meaning
ρ	<code>rho</code>	Electron density, atomic units (e/a_0^3).
p	<code>p</code>	Reduced gradient — the GGA variable.
q	<code>q</code>	Reduced Laplacian — the meta-GGA variable.

Those names are passed to the engine verbatim, so they are the names that appear in the result.

Why the reduced forms rather than $|\nabla\rho|$ and $\nabla^2\rho$ directly: they are dimensionless and invariant under the coordinate scaling $\rho_\lambda(\mathbf{r}) = \lambda^3\rho(\lambda\mathbf{r})$ that fixes T_s , so a functional expressed in them holds at every density scale instead of having to be rediscovered at each. Raw derivatives make every coefficient carry units, which a genetic search spends its budget approximating.

7.2.1 Derivatives are spectral

$\nabla \rightarrow i\mathbf{G}$ and $\nabla^2 \rightarrow -|\mathbf{G}|^2$, evaluated by FFT. This is *exact* for the band-limited periodic fields a plane-wave grid carries; a finite-difference stencil would introduce an error that the search would then model as physics.

7.2.2 Feature schemes

Two independent knobs: `features` picks the **input variables**, `template` picks how the **target is factorised**.

<code>features</code>	Variables given to the engine	
<code>gga</code> (default)	<code>rho</code> , <code>p</code> , <code>q</code>	
<code>reduced</code>	<code>p</code> , <code>q</code>	
<code>raw</code>	<code>rho</code> , <code>grad_rho</code> , <code>lap_rho</code> (dimensional)	

<code>template</code>	Fitted target	Reported formula
<code>none</code> (default)	τ	$\tau = f(\dots)$
<code>pauli</code>	$F = \frac{\tau - \tau_{\text{vW}}}{\tau_{\text{TF}}}$	$\tau = \tau_{\text{vW}} + \tau_{\text{TF}} f(\dots)$
<code>thomas_fermi</code>	$F = \tau / \tau_{\text{TF}}$	$\tau = C_{\text{TF}} \rho^{5/3} f(\dots)$

`pauli` is the physically right choice. $\tau_{\text{vW}} = |\nabla\rho|^2/8\rho$ is known in closed form and $\tau - \tau_{\text{vW}} \geq 0$ by Hoffmann–Ostenhof, so subtracting it leaves exactly the quantity a kinetic functional actually has to model — the Pauli term. Leaving it in means fitting something mostly already known, and near the von Weizsäcker limit it means fitting a near-cancellation between two large numbers.

A template **gives away the part of the physics that is already known**. Thomas–Fermi supplies the density scaling exactly, so the search stops spending its budget rediscovering $\rho^{5/3}$ and works on what is actually unknown — and every constant it must find becomes order unity. It is also the form the literature writes kinetic functionals in, so the answer is directly comparable: Thomas–Fermi is $F = 1$, von Weizsäcker is $F = 5p^2/3$.

The discovered expression is multiplied back into the template before it is reported, so the console, the JSON and the PDF all show the complete physical formula rather than the factor that was fitted.

Note

`features: enhancement` is kept as an alias for `features: reduced` plus `template: thomas_fermi`, which is exactly what it used to mean.

7.3 Operator constraints

```
constraints:
  "^": [-1, 1]
```

Per-operator limits on argument complexity, passed straight to the engine. The default holds the **exponent** of $\wedge$ to a single node while leaving the base unconstrained (-1).

Unconstrained exponents are the main source of nonsense from a power operator: a fractional power of a negative quantity leaves the reals, and an exponent that is itself a subtree is unreadable and almost never physical. Real functionals have simple exponents — $5/3$, $4/3$, 2 .

7.4 Parity plot for the distilled formula

After the search, the winning expression is evaluated on the **held-out** structures and compared against the DFT reference — not against whatever was fitted, since with **target: model** the two are different things. The plot is written as `<task>_symbolic_parity.png` and embedded in the report's Symbolic Distillation section.

Read it beside the operator's own parity plot: the gap between them is what the closed form gives up. A formula that tracks the identity line through the bulk and bends away at the high-density end is the usual picture — semi-local features cannot resolve the core peaks.

7.5 Regularization in vacuum

p and q both divide by ρ , which decays exponentially into vacuum. Two things happen, and both are needed:

1. **Every denominator is clamped** at **epsilon**, so k_F , p and q stay finite even where the density underflows.
2. **Voxels with $\rho \leq \text{epsilon}$ are dropped**. In vacuum p and q are ratios of two vanishing numbers — noise with a plausible magnitude, which corrupts a fit far more quietly than a NaN would. Vacuum carries no information about the functional, so nothing is lost by removing it.

epsilon defaults to $1\text{e-}8$, in atomic units (e/a_0^3). The mask also removes the slightly negative voxels that band-limiting leaves around the core peaks (Gibbs ringing), where a fractional power of ρ would be complex.

Implementation

For a bulk crystal nothing is dropped — the minimum density is far above the threshold. It matters for slabs, molecules and anything with real vacuum.

7.6 Configuration

```

symbolic:
  enable_symbolic_distillation: false
  target: model          # model | reference
  features: gga          # gga | reduced | raw
  template: none         # none | pauli | thomas_fermi
  epsilon: 1.0e-08       # vacuum threshold, e/a0^3
  constraints:           # per-operator argument-complexity limits
    "^": [-1, 1]
  unary_operations: [exp, log, sqrt, abs]
  binary_operations: ['+', '-', '*', '/', '^']
  iterations: 40
  population_size: 33
  populations: 15
  max_depth: 10
  max_size: 30
  parsimony: 0.0032
  n_samples: 4000
  seed: 0

```

target selects what is fitted. **model** distils the trained operator’s own predictions — what the network learned, faithful to it including its errors. **reference** fits the DFT data directly, which is plain symbolic regression against ground truth and answers a different question.

unary_operations and **binary_operations** are passed to the engine untouched. Keep the alphabet small: the search space grows combinatorially, and an operator that cannot appear in the answer only dilutes the population. / and log are the usual sources of singularities on a density approaching zero.

n_samples caps the rows handed to the search. A single 32^3 structure is already 32 768 voxels and the cost is linear in them.

7.7 Output

The expression, its accuracy/complexity front and the fit quality are printed to the terminal, written to the run’s JSON summary, and typeset into the PDF report as display mathematics with ρ , p and q rendered properly.

```

expression : F = (q * 2.454276) + 0.9163395
variables  : p, q [dimensionless (F = tau / tau_TF)]
complexity : 5 nodes
fit        : R2 0.9487   relative L2 0.0736

```

Note

Read the front, not just the winner. A single expression hides the trade that produced it; the front shows what each extra node bought.

7.8 Physical asymptotic compliance

A symbolic fit is a numerical statement until it is checked against physics it was never shown. Every candidate on the front is tested against the two limits that pin a kinetic functional,

both written for the enhancement factor $F = \tau/\tau_{\text{TF}}$: Both are statements about the *Pauli* enhancement factor $F = (\tau - \tau_{\text{vW}})/\tau_{\text{TF}}$:

$$\underbrace{F(0,0) = 1}_{\text{Thomas–Fermi}}, \quad \underbrace{F \rightarrow 0 \text{ as } p \rightarrow \infty}_{\text{von Weizsäcker}}. \quad (7.2)$$

The first is the uniform electron gas: no density variation, τ_{vW} vanishes and the functional must collapse to Thomas–Fermi exactly. The second is the rapidly varying limit — a single orbital, an exponential tail — where $\tau \rightarrow \tau_{\text{vW}}$, so the Pauli term added to it must vanish.

Every template is converted to this one convention before checking, using $\tau_{\text{vW}}/\tau_{\text{TF}} = 5p^2/3$ exactly, so a `thomas_fermi` or `none` fit is held to the same physical standard.

The check is analytic, through `sympy.limit` with the symbols bound at parse time, falling back to a converged numerical probe when SYMPY cannot resolve a deeply nested expression. Which route was taken is recorded: an analytic limit is a proof, a numerical one is evidence.

Caveat

Neither textbook functional passes both. As a Pauli factor Thomas–Fermi is $F = 1 - 5p^2/3$ — correct at the origin, divergent at infinity; von Weizsäcker is $F = 0$ — correct at infinity, wrong at the origin. Failing one limit is not damning on its own. Failing *both* means the expression reproduces the training data without the physics that constrains it outside that range, and it must not be extrapolated.

A form that passes both, such as $F = e^{-p^2}$ or $F = 1/(1 + p^2)$, interpolates between the two regimes — which is what a usable semi-local kinetic functional has to do.

Whether F tends to *any* finite limit is reported apart from whether that limit is zero: a functional settling on a finite non-zero constant stays bounded but never reduces to von Weizsäcker, a repairable failure — unlike one that diverges.

Each candidate carries a TF/vW badge in the console, the JSON summary and the PDF report, which gains a dedicated *Physical asymptotic compliance* section:

```
accuracy/complexity front (TF/vW = asymptotic limits satisfied):
  nodes      loss    limits  expression
      1       0.45   TF/--   1.0
      5       0.09   TF/--   1 + 5*p**2/27 + 20*q/9
      9       0.012  TF/vW   1 + 5*p**2/3
2 of 4 candidates satisfy BOTH limits; the simplest is:
1 + 5*p**2/3
```

The most accurate expression is frequently the least physical, so the compliant candidates are listed separately — a slightly worse expression that obeys both limits is usually the better functional.

Caveat

The search is stochastic. Two runs with the same `seed` can still differ unless PySR is also put in deterministic, serial mode — it warns about this itself. Treat a single expression as one sample, not as *the* answer.

Configuration reference

A run is defined by `configs/train_config.yaml`: one top-level key and four sections. Generate a copy with every default written out explicitly with

```
poraque-train --write-config configs/train_config.yaml
```

This chapter documents every key that file can contain.

8.1 How a value is resolved

Three sources, highest priority first:

1. an explicit command-line flag,
2. the value in the YAML file,
3. the built-in default.

That ordering is what lets a single committed configuration be swept from the shell without being edited or copied:

```
poraque-train --config configs/train_config.yaml --epochs 500
```

Note

Unknown keys are **rejected**, not ignored. A typo such as `learn_rate` would otherwise be dropped silently and the run would quietly use the default — producing results that do not match the file that appears to describe them. The error message names the valid keys for that section.

The *resolved* configuration — defaults, file and command-line overrides merged — is written beside the results as `<json-stem>_config.yaml` (by default `logs/fno_training_config.yaml`). That is the file worth keeping: it records what actually ran, overrides included.

8.2 Top level

Key	Default	Meaning
<code>task</code>	<code>all</code>	Which map to train: <code>ext2chg</code> , <code>chg2tau</code> , or <code>all</code> for both in sequence.

8.3 data — where the fields come from

Key	Default	Meaning
root	data/vasp	Directory holding one subdirectory per material.
cache pattern	data/cache struct	Where downsampled copies are written. Prefix identifying those subdirectories — a prefix, not a glob.
code	auto	DFT code, or <code>auto</code> to detect it from the files present.
resolution	32	Longest grid axis after spectral downsampling.
gaussian_blur	null	Gaussian blur width in Å applied to the computed potential.
blur_method	spectral	<code>spectral</code> or <code>ndimage</code> .

8.3.1 resolution

Fields are reduced to this many points along their longest axis before training. The reduction is a Fourier truncation — the exact band-limited projection for a plane-wave field — so periodicity is preserved and the electron count is unchanged to machine precision. Interpolation would alias and shift it.

Cost scales as the cube: raising $32 \rightarrow 64$ is roughly eight times the memory and time. Grid *shapes* are reduced in proportion, so a $120 \times 128 \times 128$ calculation becomes $30 \times 32 \times 32$ rather than being forced square.

Note

There is no key for supplying an external potential. `EXTCAR` is **always** computed by `ExternalPotential` from the `POTCAR` tables, which reproduces a reference potential to a relative error of order 10^{-5} . Any `EXTCAR` present in a source directory is ignored — the training input must be exactly what the pipeline produces at inference time, when no such file exists. Standard VASP does not write one anyway.

8.3.2 gaussian_blur and blur_method

Smooths the computed external potential. The blur is applied *on top of* the tabulated pseudopotential, never in place of it.

Caveat

`ndimage` uses `scipy.ndimage.gaussian_filter`, which blurs along *grid* axes and is therefore anisotropic in Cartesian space unless the cell is orthogonal — on a face-centred cubic cell the two methods differ by 2–6%. `spectral` multiplies by $e^{-G^2\sigma^2/2}$ using the true reciprocal metric and stays isotropic on any cell. Prefer the default.

Measured at $\sigma = 0.15$ Å and `resolution: 32`, with one structure held out and everything else fixed, blurring changed the held-out error by 0.7% and the training time by 0.4% — neither meaningful, since the grid already band-limits the field. It does remove information near the ionic cores, where the density peaks. Leave it off unless working at higher resolution.

Implementation

The cache directory name encodes these choices, for example `res32_blur0.15spec`, so changing them cannot silently reuse a cache built with different settings.

8.4 model — the operator’s shape

Key	Default	Meaning
<code>width</code>	16	Channel width of the Fourier layers.
<code>modes</code>	8	Retained Fourier modes per axis.
<code>n_layers</code>	4	Number of Fourier layers.
<code>projection_channels</code>	48	Hidden width of the output projection.
<code>activation</code>	<code>gelu</code>	<code>gelu</code> , <code>relu</code> , <code>silu</code> or <code>tanh</code> .
<code>use_coordinates</code>	<code>true</code>	Append three fractional-coordinate input channels.
<code>cell_conditioning</code>	<code>true</code>	Condition every layer on lattice descriptors (FiLM).
<code>embedding_dim</code>	32	Width of that cell embedding.
<code>mode_selection</code>	<code>fixed</code>	<code>fixed</code> mode index, or <code>physical</code> at constant $G_{\max}$.
<code>g_max</code>	<code>null</code>	Cutoff wavevector in $\text{\AA}^{-1}$; required by <code>mode_selection: physical</code> .
<code>pauli_residual</code>	<code>false</code>	Structural $\tau \geq \tau_{\text{vW}}$ for <code>chg2tau</code> .
<code>pauli_scale</code>	<code>null</code>	Initial Pauli scale in $\text{eV}/\text{\AA}^3$; <code>null</code> fits it from the training split.
<code>learn_pauli_scale</code>	<code>true</code>	Optimise that scale alongside the backbone.

8.4.1 width, modes, n_layers

These three set the capacity. The parameter count is dominated by the spectral weights — $4w^2m^3$ complex numbers per layer for width w and m modes — so `modes` is by far the expensive knob: doubling it multiplies the spectral parameters by eight.

Implementation

`modes` is a *capacity limit*, not a requirement. On a grid too coarse to supply that many modes, fewer are used automatically, so one configuration serves materials whose grids differ in size.

8.4.2 use_coordinates and cell_conditioning

`use_coordinates` appends the three fractional coordinates as extra input channels, giving the network a positional reference the field alone does not carry.

`cell_conditioning` feeds lattice descriptors through an embedding of width `embedding_dim` and uses it to modulate each layer’s activations (FiLM). Without it the operator sees the field but not the cell it lives in, and cannot distinguish two materials whose grids agree while their lattice vectors do not. Keep both on unless deliberately ablating them.

8.4.3 mode_selection and g_max

`fixed` keeps the lowest `modes` indices on every material. Because the spacing of reciprocal-lattice points depends on the cell size, that means a *different physical band* for each material.

`physical` instead keeps every mode below a fixed wavevector $G_{\max}$, retaining $\lfloor G_{\max} L_i / 2\pi \rfloor$ modes along axis i , so every material contributes the same band of physics. Prefer it when cell sizes vary widely. It requires `g_max`.

8.4.4 pauli_residual and its scale

For `chg2tau`, the model predicts

$$\tau = \tau_{\text{vW}}[\rho] + s \text{softplus}(f_{\theta}(\rho)),$$

so the Hoffmann–Ostenhof bound $\tau \geq \tau_{\text{vW}}$ holds by construction and the network learns only the Pauli term τ_{P} . Against a matched baseline it improved every fold — 18.3 % in mean relative L^2 — while training 17.8 % *faster*, because the network no longer has to re-derive $|\nabla\rho|^2/8\rho$, roughly 31 % of τ . Recommended.

`pauli_scale` sets the initial magnitude s ; `null` fits it from the training split, which is the sensible default. `learn_pauli_scale` lets the optimiser refine it.

Caveat

The bound is a theorem for all-electron densities, whereas `CHGCAR` and `TAUCAR` hold pseudo quantities. Check it on new data before enabling the head — the training log reports any reference points that violate it.

8.5 training — how it is fitted

Key	Default	Meaning
<code>valid_fraction</code>	0.2	Fraction of structures held out for validation; 0 uses every structure.
<code>enable_kfold</code>	false	Run K-fold cross-validation instead; ignores <code>valid_fraction</code> .
<code>k_folds</code>	5	Number of folds, capped at the structure count.
<code>eval_epoch</code>	10	Evaluate and log every this many epochs.
<code>early_stopping</code>	100	Stop after this many epochs without validation improvement; 0 disables.
<code>epochs</code>	300	Passes over the training set.
<code>batch_size</code>	4	Maximum samples per grid-shape bucket.
<code>learning_rate</code>	0.002	AdamW step size.
<code>weight_decay</code>	0.0001	AdamW weight decay.
<code>scheduler</code>	cosine	cosine decay, or null for a constant rate.
<code>grad_clip</code>	1.0	Global gradient-norm clip; 0 disables.
<code>seed</code>	0	Weight initialisation, batch order and fold shuffling.
<code>device</code>	auto	auto, cuda, mps or cpu.
<code>loss</code>	relative_l2	relative_l2 or sobolev.
<code>sobolev_weight</code>	0.1	Gradient-term weight when loss: sobolev.
<code>physics</code>	all 0.0	Physics-informed loss weights; see below.

8.5.1 The validation split

There is **one** training protocol and **one** variation on it.

By default a run trains a single model per task, holding back `valid_fraction` of the structures for validation. That is all there is to it — no mode to select, no structures to name.

`enable_kfold` swaps that for K-fold cross-validation: each fold trains a fresh model on $K - 1$ groups and scores it on the group held out. It answers a different question — whether the architecture generalises — and produces K models rather than one to deploy. `valid_fraction` is ignored, since the folds define the splits. Setting `k_folds` to the number of structures gives leave-one-out.

Implementation

Splitting is always at the *structure* level: whole materials move together. A voxel-level split would place the same crystal on both sides, and since neighbouring voxels are strongly correlated the score would look excellent while saying nothing about transfer to a new material.

Caveat

`valid_fraction` defaults to **0.2**, so an ordinary run reports a genuine held-out score and `early_stopping` is active. The trade-off is that the model has then seen only 80 % of the data. For the final deployable artefact set `valid_fraction: 0` — accepting that its own metrics become a **training fit** carrying no generalisation claim, about four times better than the cross-validated score on the reference dataset — and quote a separate `-kfold` run for the number.

8.5.2 eval_epoch

Evaluate and log every this many epochs. Validation is computed *only* on those epochs, so raising it on a large validation set is a genuine speed-up rather than only a quieter log. The final epoch always reports, so a run never ends without a current number.

```
progress (every 10 epochs):
  train loss: mean PhysicsInformedLoss per batch | val rel L2: held-out
  ↪ error, physical units
      epoch      train loss      val rel L2
  -----
      10/300      0.31745      0.34118
      20/300      0.18902      0.21447 *
```

8.5.3 early_stopping

Stop after this many epochs without an improvement in the **validation** error, and restore the best weights seen:

```
      30/300      0.03173      0.03659 *
      ...
      38/300      0.02249      0.06568
  stopped early at epoch 38: no improvement in 8 epochs
                          (best 0.03659 at epoch 30)

  trained 38/300 epochs in 12.0 s  loss 0.8599 -> 0.0225
```

Caveat

It needs a validation split (`valid_fraction > 0`). With nothing held out there is only the training loss, which falls monotonically by construction and so can never signal that training should stop — asking for early stopping anyway **warns** rather than silently doing nothing and leaving you believing the run was protected.

The shipped default holds a fifth of the structures out (`valid_fraction: 0.2`), so early stopping is active out of the box. It goes inactive only if you set `valid_fraction: 0` to train on every structure, and the run says so rather than appearing to be protected.

Patience is counted in *epochs* but checked only on the epochs where validation is computed, so a value below `eval_epoch` behaves like `eval_epoch`.

The best weights are restored on exit, so the operator you get is the best one *measured* rather than merely the last one reached — stopping partway down a degrading curve would otherwise hand back the degraded model.

The `*` marks an epoch that improved on the best validation score. Only epochs on which validation was actually measured can do so — a checkpoint is written against a measured score,

never an assumed one.

8.5.4 batch_size

Capped *per grid-shape bucket*. Materials whose grids differ in shape cannot be stacked into one tensor, so they are grouped by shape and batches drawn within a group. A bucket holding a single material yields batches of one however large this is set. The training log prints the buckets it found.

8.5.5 loss and sobolev_weight

relative_l2 normalises the error per sample, so materials whose fields differ by orders of magnitude contribute equally and the reported value reads directly as a fraction.

sobolev adds a relative gradient term weighted by **sobolev_weight**. Worth enabling when the derivative matters — τ_{vW} depends on $\nabla\rho$, so gradient noise is amplified in low-density regions.

8.5.6 physics

Weight	Constraint it penalises the violation of
electron_count_weight	$\int \rho \, d\mathbf{r} = N$ (ext2chg)
positivity_weight	Non-negativity of the predicted field
von_weizsacker_weight	$\tau \geq \tau_{vW}$ (chg2tau)
euler_lagrange_weight	Orbital-free stationarity residual (ext2chg)

All four default to zero, so the objective is the plain supervised baseline until one is enabled deliberately. Each term is dimensionless, so a single weight can serve a heterogeneous dataset.

Caveat

Introduce them one at a time against a measured baseline, and only once the data term has converged — a physics residual evaluated at random initialisation is noise. A badly scaled constraint degrades accuracy while looking principled.

Where a constraint can be imposed structurally, prefer that: **pauli_residual** enforces $\tau \geq \tau_{vW}$ exactly, whereas **von_weizsacker_weight** only discourages violating it.

8.6 output — what is written

Key	Default	Meaning
log	logs/fno_training.log	Human-readable training log.
json	logs/fno_training.json	Metrics and full loss history.
checkpoint_dir	models	Model weights; null disables checkpointing.
plot_dir	results/plots	Figures; null disables plotting.
report_dir	reports	PDF reports; null disables them.
plot_format	png	png , pdf or svg .
dpi	160	Raster resolution for saved figures.

The resolved configuration is written next to **json** with the suffix **_config.yaml**. PDF reports are assembled in a temporary directory that is removed afterwards, so no **.tex**, **.aux** or **.log** files are left behind.

8.7 symbolic — distilling a formula

Chapter 7 covers this feature; the keys are listed here for completeness. It is off by default and needs the optional `symbolic` install extra.

Key	Default	Meaning
<code>enable_symbolic_distillation</code>	<code>false</code>	Search for a closed-form expression after training.
<code>target</code>	<code>model</code>	<code>model</code> distils the operator's predictions; <code>reference</code> fits the DFT data.
<code>features</code>	<code>gga</code>	Variables given to the engine: <code>gga</code> (ρ, p, q), <code>enhancement</code> (p, q), or <code>raw</code> .
<code>epsilon</code>	<code>1e-8</code>	Vacuum threshold in e/a_0^3 ; clamps every denominator and drops voxels below it.
<code>unary_operations</code>	<code>[exp, log, sqrt, abs]</code>	Unary alphabet, passed to the engine untouched.
<code>binary_operations</code>	<code>['+', '-', '*', '/', '^']</code>	Binary alphabet.
<code>iterations</code>	<code>40</code>	Search iterations — the main quality/time knob.
<code>population_size</code>	<code>33</code>	Individuals per population.
<code>populations</code>	<code>15</code>	Populations run in parallel.
<code>max_depth</code>	<code>10</code>	Ceiling on expression depth.
<code>max_size</code>	<code>30</code>	Ceiling on node count.
<code>parsimony</code>	<code>0.0032</code>	Penalty per node; higher gives shorter, worse-fitting expressions.
<code>n_samples</code>	<code>4000</code>	Voxels sampled across the dataset.
<code>seed</code>	<code>0</code>	Seeds the sampling and the engine.

8.8 Worked examples

```
task: all
model:  {pauli_residual: true}
training: {valid_fraction: 0, epochs: 200}
```

```
task: all
training: {enable_kfold: true, k_folds: 5}
```

```
data:      {resolution: 20}
model:     {width: 8, modes: 4, n_layers: 2, projection_channels: 16}
training: {epochs: 10}
```

```
data:      {resolution: 64}
model:     {width: 32, modes: 12, n_layers: 4}
training:  {epochs: 400, batch_size: 2}
```

Troubleshooting

9.1 The run stops immediately

“No struct* directories” Check `data.root` and `data.pattern`. The pattern is a prefix, not a glob.

“Unknown key(s) in section ...” A configuration key was removed. `mode`, `holdout`, `use_vasp_extcar`, `train_fraction` and `split` no longer exist; regenerate the file with `-write-config`. The split is now one number, `valid_fraction`, and `EXTCAR` is always computed.

“No valence charge for ...” No POTCAR was found. Supply one, or pass `-zval Au=11`.

“Unknown key(s) in section ...” A typo in the YAML. The message lists the valid keys.

9.2 The results look wrong

R^2 is negative The model is worse than predicting the mean. Usually too few epochs, or a learning rate that diverged — check the loss curve in `results/plots/`.

The electron count is far off Nothing constrains it by default. A few per cent is normal; tens of per cent means the model is extrapolating, typically because the evaluation grid is far from the training resolution.

The numbers seem too good Check whether anything was held out. With `valid_fraction: 0` they are a training fit. The report’s *What these numbers do not show* section states this explicitly.

9.3 Grids and shapes

“grid shape ... does not match the supplied shared grid” Two fields of one material are on different meshes. All three must share a grid; read them with `grid=` from the same source.

“Cannot batch mixed grid shapes” Use the shape-bucketed loader (the training script does) or `batch_size: 1`.

A few negative voxels in TAUCAR Band-limiting a strictly positive field with sharp core peaks rings slightly. It is an artefact of the downsampling, not of the data, and is why the pipeline

uses a sign-tolerant asinh normalisation.

9.4 Devices

“CUDA was requested but ...” A warning, not an error — the run continues on CPU.

Training is slower on MPS than CPU At small grids kernel-launch overhead dominates. The advantage grows with size: $2.2\times$ at 32^3 , $5.7\times$ at 64^3 .

Results differ slightly between devices Expect $\sim 10^{-6}$ relative on a single forward pass. Two *independently trained* runs will differ much more, because optimisation amplifies tiny differences — that is not a bug.

9.5 Reports

A .tex appears instead of a PDF No `latexmk` or `pdflatex` on the path. The source is written so it can be compiled elsewhere.

Stray .aux or .log files Should not happen: reports are built in a temporary directory that is deleted wholesale. If you see them, they came from compiling the guides by hand — use `make` in `latex/technical_guide/` or `latex/user_guide/`, which cleans up.