

---

# **Somoclu Python Documentation**

***Release 1.5.1***

**Peter Wittek, Shi Chao Gao**

December 02, 2015



## CONTENTS

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Copyright and License . . . . .	1
1.2	Acknowledgment . . . . .	1
<b>2</b>	<b>Download and Installation</b>	<b>3</b>
2.1	Dependencies . . . . .	3
<b>3</b>	<b>Examples</b>	<b>5</b>
3.1	Planar maps . . . . .	6
3.2	Toroid topology, hexagonal grid . . . . .	9
3.3	Evolving maps . . . . .	11
<b>4</b>	<b>Function Reference</b>	<b>15</b>
4.1	Somoclu Class . . . . .	15



## INTRODUCTION

Somoclu is a massively parallel implementation of self-organizing maps. It relies on OpenMP for multicore execution, MPI for distributing the workload, and it can be accelerated by CUDA. A sparse kernel is also included, which is useful for training maps on vector spaces generated in text mining processes. The topology of map is either planar or toroid, the grid is rectangular or hexagonal. Currently a subset of the command line version is supported with this Python module.

Key features of the Python interface:

- Fast execution by parallelization: OpenMP and CUDA are supported.
- Multi-platform: Linux, OS X, and Windows are supported.
- Planar and toroid maps.
- Rectangular and hexagonal grids.
- Gaussian or bubble neighborhood functions.
- Visualization of maps, including those that were trained outside of Python.

The documentation is available online. Further details are found in the following paper:

Peter Wittek, Shi Chao Gao, Ik Soo Lim, Li Zhao (2015). Somoclu: An Efficient Parallel Library for Self-Organizing Maps. [arXiv:1305.1422](https://arxiv.org/abs/1305.1422).

### 1.1 Copyright and License

Somoclu is free software; you can redistribute it and/or modify it under the terms of the [GNU General Public License](#) as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

Somoclu is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the [GNU General Public License](#) for more details.

### 1.2 Acknowledgment

This work is supported by the European Commission Seventh Framework Programme under Grant Agreement Number FP7-601138 [PERICLES](#) and by the AWS in Education Machine Learning Grant award.



## DOWNLOAD AND INSTALLATION

The package is available in the [Python Package Index](#), containing the source, documentation, and examples. The latest development version is available on [GitHub](#).

### 2.1 Dependencies

The module requires [Numpy](#) and [matplotlib](#). The code is compatible with both Python 2 and 3.

#### 2.1.1 Installation

The code is available on PyPI, hence it can be installed by

```
$ sudo pip install somoclu
```

If you want the latest git version, follow the standard procedure for installing Python modules:

```
$ sudo python setup.py install
```

#### 2.1.2 Build on Mac OS X

Before installing using pip, gcc should be installed first. As of OS X 10.9, gcc is just symlink to clang. To build somoclu and this extension correctly, it is recommended to install gcc using something like:

```
$ brew install gcc48
```

and set environment using:

```
export CC=/usr/local/bin/gcc
export CXX=/usr/local/bin/g++
export CPP=/usr/local/bin/cpp
export LD=/usr/local/bin/gcc
alias c++=/usr/local/bin/c++
alias g++=/usr/local/bin/g++
alias gcc=/usr/local/bin/gcc
alias cpp=/usr/local/bin/cpp
alias ld=/usr/local/bin/gcc
alias cc=/usr/local/bin/gcc
```

Then you can issue

```
$ sudo pip install somoclu
```

### 2.1.3 Build with CUDA support on Linux and OS X:

If your CUDA is installed elsewhere than `/usr/local/cuda`, you cannot directly install the module from PyPI. Please download the source distribution from [PyPI](#). Open the `setup.py` file in an editor and modify the path to your CUDA installation directory:

```
cuda_dir = /path/to/cuda
```

Then run the install command

```
$ sudo python setup.py install
```

### 2.1.4 Build with CUDA support on Windows:

You should first follow the instructions to [build the Windows binary](#) with MPI disabled with the same version Visual Studio as your Python is built with. (Since currently Python is built by VS2008 by default and CUDA v6.5 removed VS2008 support, you may use CUDA 6.0 with VS2008 or find a Python prebuilt with VS2010. And remember to install VS2010 or Windows SDK7.1 to get the option in Platform Toolset if you use VS2013.) Then you should copy the `.obj` files generated in the release build path to the `Python/src` folder.

Then modify the `win_cuda_dir` in `setup.py` to your CUDA path and run the install command

```
$ sudo python setup.py install
```

Then it should be able to build and install the module.



## EXAMPLES


Self-organizing maps are computationally intensive to train, especially if the original space is high-dimensional or the map is large. Very large maps where the number of neurons is at least five times the number of data points are sometimes called emergent-self organizing maps – these are especially demanding to train. [Somoclu](#) is a highly efficient, parallel and distributed algorithm to train such maps, and its Python interface was recently updated. This enables fast training of self-organizing maps on multicore CPUs or a GPU from Python, albeit only on dense data, and the distributed computing capability is also not exposed. The Python interface also lets you process the output files of the command-line version, so if the data is sparse or the map was trained on a cluster, you can still use the module for visualization. Here we take a quick look at how to train and visualize a small map.

First, we import the necessary modules:

```
import numpy as np
import matplotlib.pyplot as plt
import somoclu
%matplotlib inline
```

Then we generate and plot some random data in three categories:

```
c1 = np.random.rand(50, 2)/5
c2 = (0.2, 0.5) + np.random.rand(50, 2)/5
c3 = (0.4, 0.1) + np.random.rand(50, 2)/5
data = np.float32(np.concatenate((c1, c2, c3)))
colors = ["red"] * 50
colors.extend(["green"] * 50)
colors.extend(["blue"] * 50)
plt.scatter(data[:, 0], data[:, 1], c=colors)
labels = range(150)
```



### 3.1 Planar maps

We train Somoclu with default parameter settings, asking for a large map that qualifies as an emergent self-organizing map for this data:

```
n_rows, n_columns = 100, 160
som = somoclu.Somoclu(n_columns, n_rows, data=data)
%time som.train()
```

```
CPU times: user 6.62 s, sys: 10 ms, total: 6.63 s
Wall time: 4.76 s
```


We plot the component planes of the trained codebook of the ESOM:

```
som.view_component_planes()
```




We can plot the U-Matrix, together with the best matching units for each data point. We color code the units with the classes of the data points and also add the labels of the data points.

```
som.view_umatrix(bestmatches=True, bestmatchcolors=colors, labels=labels)
```



We can also zoom into a region of interest, for instance, the dense lower right corner:


```
som.view_umatrix(bestmatches=True, bestmatchcolors=colors, labels=labels,  
                 zoom=((50, n_rows), (100, n_columns)))
```



## 3.2 Toroid topology, hexagonal grid


We can repeat the above with a toroid topology by specifying the map type as follows:

```
som = somoclu.Somoclu(n_columns, n_rows, data=data, maptype="toroid")
som.train()
som.view_umatrix(bestmatches=True, bestmatchcolors=colors)
```



Notice how the edges of the map connect to the other side. Hexagonal neurons are also implemented:

```
som = somoclu.Somoclu(n_columns, n_rows, data=data, gridtype="hexagonal")
som.train()
som.view_umatrix(bestmatches=True, bestmatchcolors=colors)
```



The separation of the individual points is more marked with these neurons.

### 3.3 Evolving maps

One of the great advantages of self-organizing maps is that they are incremental, they can be updated with new data. This is especially interesting if the data points retain their old label, that is, the properties of the vectors change in the high-dimensional space. Let us train again a toroid rectangular emergent map on the same data:


```
som = somoclu.Somoclu(n_columns, n_rows, data=data, maptype="toroid")
som.train()
```

Next, let us assume that the green cluster moves to the left, the other points remaining invariant:

```
c2_shifted = c2 - 0.2
updated_data = np.float32(np.concatenate((c1, c2_shifted, c3)))
plt.scatter(updated_data[:,0], updated_data[:,1], c=colors)
```


```
<matplotlib.collections.PathCollection at 0x7fb962be9908>
```






We can update the map to reflect this shift. We plot the map before and after continuing the training:

```
som.view_umatrix(bestmatches=True, bestmatchcolors=colors, labels=labels)
som.update_data(updated_data)
som.train(epochs=2, radius0=20, scale0=0.02)
som.view_umatrix(bestmatches=True, bestmatchcolors=colors, labels=labels)
```







As a result of the shift, the blue points do not move around much. On the other hand, the relationship of the red and green clusters is being redefined as their coordinates inched closer in the original space.



## FUNCTION REFERENCE

### 4.1 Somoclu Class