

1 **servir-aces: A Python Package for Training Machine** 2 **Learning Models for Remote Sensing Applications**

3 **Biplov Bhandari** ^{1,2} and **Timothy Mayer** ^{1,2}

4 **1** Earth System Science Center, The University of Alabama in Huntsville, 320 Sparkman Drive,
5 Huntsville, AL 35805, USA **2** SERVIR Science Coordination Office, NASA Marshall Space Flight Center,
6 320 Sparkman Drive, Huntsville, AL 35805, USA

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Open Journals](#) 

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright
and release the work under a
Creative Commons Attribution 4.0
International License ([CC BY 4.0](#))

7 Summary

8 **servir-aces** Agricultural Classification and Estimation Service (ACES) is a Python package for
9 generating training data using highly parallelized [apache-beam](#) and [Google Earth Engine \(GEE\)](#)
10 ([Gorelick et al., 2017](#)) workflows as well as for training various Machine Learning (ML) and
11 Deep Learning (DL) models for Remote Sensing Applications ([Mayer et al., 2023](#)), ([Bhandari](#)
12 [& Mayer, 2024](#)).

13 Statement of Need

14 Despite robust platforms, specialized technical knowledge is required to set up and run
15 various Machine Learning (ML) and Deep Learning (DL) models, making it difficult for
16 many development practitioners, scientists, and domain experts to implement them. The
17 **servir-aces** Python package is designed to address this challenge by significantly lowering the
18 barrier for users to export training data and both train and run DL models using cloud-based
19 technology with their GEE workflows. Several examples are provided via runnable notebook to
20 make it easier for scientists to utilize this emerging field of DL.

21 With petabytes of data available via GEE, and integration of the TensorFlow (TF) platform,
22 models trained in TF can be easily loaded into GEE. This package provides functionalities for
23 1) data processing; 2) data loading from GEE; 3) feature extraction, 4) model training, and 5)
24 model inference. The combination of TF and GEE has enabled several large scale ML and
25 DL Remote Sensing applications, including Wetland Area Mapping ([Bakkestuen et al., 2023](#)),
26 Crop Type Mapping ([Bakkestuen et al., 2023](#)), Surface Water Mapping ([Mayer et al., 2021](#)),
27 and Urban Mapping ([Parekh et al., 2021](#)). However, these applications tend to be developed
28 ad-hoc without using a common package.

29 Several unified libraries like [torchgeo](#) ([Stewart et al., 2022](#)) and [rastervision](#) exists, but they
30 are primarily targeted for PyTorch user community. Some efforts for GEE & TensorFlow users,
31 such as [geemap](#) ([Wu, 2020](#)), are mostly for classical ML approaches like Random Forest, while
32 [geospatial-ml](#) has not seen much development since its inception. Thus, there is a need for
33 unified libraries to train DL models integrating the GEE & TensorFlow user community.

34 **servir-aces** addresses this need by 1) Offering a streamlined application of commonly
35 employed architectures (CNN, DNN, and U-NET); 2) Allowing end-users to rapidly adjust a
36 wide range of model parameters for these common architectures, including activation functions,
37 optimizers, loss functions, early stopping, dropout rate, batch size etc.; 3) More efficiently and
38 effectively connecting across the Google Cloud ecosystem, linking Google Cloud, improved
39 methods of parallelization via Apache beam, Vertex AI, TensorFlow, and Google Earth Engine;
40 and 4) Enabling broader development and incorporation of several methods through the
41 package's utility functions, such as providing a collated set of evaluation metrics for easier

42 model performance comparisons, a class for generating Remote Sensing features essential for
43 scientific community, and utility functionality for Apache Beam and Earth Engine. Although
44 **servir-aces** was originally developed for agricultural-related applications, the library has been
45 further developed to work for any kind of DL image segmentation tasks.

46 **servir-aces Audience**

47 **servir-aces** is intended for development practitioner, researchers, scientists, software devel-
48 opers, and students who would like to utilize various freely available Earth Observation (EO)
49 data using cloud-based GEE and TF ecosystem to perform large scale ML/DL related Remote
50 Sensing applications.

51 We also provide several notebook examples to showcase the usage of the **servir-aces**. Here
52 we show how **servir-aces** can be used for crop-mapping related application. Ideally, the same
53 process can be repeated for any kind of the image segmentation task.

54 **servir-aces Functionality**

55 The major high-level functionality of the **servir-aces** packages are: - Data loading and processing
56 from GEE. - Generation of training data for various ML and DL models. - Training and evaluation
57 of ML/DL Models. - Inferences of the trained ML/DL models. - Support for remote sensing
58 feature extraction. - Integration with Apache Beam for data processing and parallelization.

59 The key functionality of **servir-aces** is organized into several modules:

- 60 ▪ **data_processor**: this module provides functionality for data input/output and prepro-
61 cessing for the image segmentation project.
- 62 ▪ **model_builder**: this module provides functionality for creating and compiling various
63 Neural Network Models, including DNN, CNN, U-Net.
- 64 ▪ **model_trainer**: this module provides functionality for training, building, compiling, and
65 running specified deep learning models.
- 66 ▪ **metrics**: this module provides a host of statistical metrics, standard within the field, for
67 evaluating model performance and provide utility functions for plotting and visualizing
68 model metrics during training.
- 69 ▪ **ee_utils**: this module for providing utility functions to handle GEE API information and
70 authentication requests.
- 71 ▪ **remote_sensing**: this module provides various static methods to compute Remote Sensing
72 indices for analysis.

73 **servir-aces Funding**

74 This research was funded through the US Agency for International Development (USAID) and
75 NASA initiative Cooperative Agreement Number: AID486-A-14-00002. Individuals affiliated
76 with the University of Alabama in Huntsville (UAH) are funded through the NASA Applied
77 Sciences Capacity Building Program, NASA Cooperative Agreement: 80MSFC22M004.

78 **servir-aces Acknowledgement**

79 The authors would like to thank NASA's Applied Sciences Program and Capacity Building
80 Program, specifically Dr. Nancy Searby. We also want to thank the **SERVIR** program especially
81 Dan Irwin, Dr. Ashutosh Limaye, and Eric Anderson. Additionally, we would like to thank

82 the USAID especially Dr. Pete Epanchin. We would also like to thank UAH specifically
83 Dr. Rob Griffin and the [Lab for Applied Science \(LAS\)](#) as well as [SERVIR's Geospatial Artificial](#)
84 [Intelligence Working Group \(Geo-AI WG\)](#) for their support and collaboration over the years.
85 Finally, we are indebted to Dr. Nick Clinton from the Google Earth Outreach Team for the
86 support.

87 References

- 88 Bakkestuen, V., Venter, Z., Ganerød, A. J., & Framstad, E. (2023). Delineation of wetland
89 areas in south Norway from sentinel-2 imagery and LiDAR using TensorFlow, u-net, and
90 google earth engine. *Remote Sensing*, *15*(5), 1203.
- 91 Bhandari, B., & Mayer, T. (2024). *Comparing deep learning models for rice mapping in bhutan*
92 *using high resolution satellite imagery*. <https://arxiv.org/abs/2406.07482>
- 93 Gorelick, N., Hancher, M., Dixon, M., Ilyushchenko, S., Thau, D., & Moore, R. (2017).
94 Google earth engine: Planetary-scale geospatial analysis for everyone. *Remote Sensing of*
95 *Environment*, *202*, 18–27.
- 96 Mayer, T., Bhandari, B., Martínez, F. G., Walker, K., Jiménez, S. A., Kruskopf, M., Maganini,
97 M., Phalke, A., Wangchen, T., Phuntsho, L., & others. (2023). Employing the agricultural
98 classification and estimation service (ACES) for mapping smallholder rice farms in bhutan.
99 *Frontiers in Environmental Science*, *11*, 1137835.
- 100 Mayer, T., Poortinga, A., Bhandari, B., Nicolau, A. P., Markert, K., Thwal, N. S., Markert,
101 A., Haag, A., Kilbride, J., Chishtie, F., & others. (2021). Deep learning approach for
102 sentinel-1 surface water mapping leveraging google earth engine. *ISPRS Open Journal of*
103 *Photogrammetry and Remote Sensing*, *2*, 100005.
- 104 Parekh, J. R., Poortinga, A., Bhandari, B., Mayer, T., Saah, D., & Chishtie, F. (2021).
105 Automatic detection of impervious surfaces from remotely sensed data using deep learning.
106 *Remote Sensing*, *13*(16), 3166.
- 107 Stewart, A. J., Robinson, C., Corley, I. A., Ortiz, A., Lavista Ferres, J. M., & Banerjee,
108 A. (2022). TorchGeo: Deep learning with geospatial data. *Proceedings of the 30th*
109 *International Conference on Advances in Geographic Information Systems*, 1–12. <https://doi.org/10.1145/3557915.3560953>
110
- 111 Wu, Q. (2020). Geemap: A python package for interactive mapping with google earth engine.
112 *Journal of Open Source Software*, *5*(51), 2305. <https://doi.org/10.21105/joss.02305>