

SNC Patient QA of Dose Distribution

Hospital Northwestern Memorial Hospital

QA Date 12 Jan 2021 09:36:50



QA Parameters

Patient Name	H M
Patient ID	000000000003
Plan Name	Pelvis 3-6
Plan ID	
Plan Date	12 Jan 2021 06:59:10
Verified Plan UID	
Total MU	2196.4

Absolute Dose Comparison (GC/Gamma using 3D Mode)

Threshold (%)	20.0	Use Global (%)	No
Difference (%)	2.0	Meas Uncertainty	No
Distance (mm)	2.0	Cavity Dose	N/A

Summary (GC Analysis)

Pass (%)	91.8
Pass	1024
Fail	91
Total Points	1115

Dose Values in cGy


	CAX	Norm	Sel	Max
Set 1		527.48	171.47	530.47
Set 2		607.81	181.54	608.53
Set 1-2		-80.33	-10.06	-78.06
% Diff		-13.22	-5.54	-12.83
DTA(mm)	N/A	N/A	N/A	

Notes

6X SLF

Reviewed By

AC Merged (Set 1)




cGy
610
549
488
427
366
305
244
183
122
61

CAX Coords (x,y) (mm)
0, 0

Norm Coords (x,y) (mm)
245.00, 100.00

SEL Coords (x,y) (mm)
-5.00, 0.00

Plan (Set 2)



cGy
610
549
488
427
366
305
244
183
122
61

CAX Coords (x,y) (mm)
0, 0


Norm Coords (x,y) (mm)
245.00, 100.00

CAX Offset (x,y) mm
0, 0

Dose Scaling Factor
1.0

Isocenter Coords (x,y,z) (mm)
0.000, 0.000, 0.000

AC Merged - Plan (Set 1-2)



Gamma Index Summary

	Min	Max
Points In Threshold	N/A	N/A
All Points	N/A	N/A
	Average	Stdv
Points In Threshold	N/A	N/A
All Points	N/A	N/A